

---

# **Ubiquitous Computing for Capture and Access**

---

# Ubiquitous Computing for Capture and Access

---

**Khai N. Truong**

*University of Toronto  
Canada  
khai@cs.toronto.edu*

**Gillian R. Hayes**

*University of California, Irvine  
USA  
gillianrh@ics.uci.edu*

**now**

the essence of **know**ledge

Boston – Delft

## Foundations and Trends<sup>®</sup> in Human–Computer Interaction

*Published, sold and distributed by:*

now Publishers Inc.  
PO Box 1024  
Hanover, MA 02339  
USA  
Tel. +1-781-985-4510  
[www.nowpublishers.com](http://www.nowpublishers.com)  
[sales@nowpublishers.com](mailto:sales@nowpublishers.com)

*Outside North America:*

now Publishers Inc.  
PO Box 179  
2600 AD Delft  
The Netherlands  
Tel. +31-6-51115274

The preferred citation for this publication is K. N. Truong and G. R. Hayes, Ubiquitous Computing for Capture and Access, Foundations and Trends<sup>®</sup> in Human–Computer Interaction, vol 2, no 2, pp 95–173, 2008

ISBN: 978-1-60198-208-7

© 2009 K. N. Truong and G. R. Hayes

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, mechanical, photocopying, recording or otherwise, without prior written permission of the publishers.

Photocopying. In the USA: This journal is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by now Publishers Inc for users registered with the Copyright Clearance Center (CCC). The 'services' for users can be found on the internet at: [www.copyright.com](http://www.copyright.com)

For those organizations that have been granted a photocopy license, a separate system of payment has been arranged. Authorization does not extend to other kinds of copying, such as that for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. In the rest of the world: Permission to photocopy must be obtained from the copyright owner. Please apply to now Publishers Inc., PO Box 1024, Hanover, MA 02339, USA; Tel. +1-781-871-0245; [www.nowpublishers.com](http://www.nowpublishers.com); [sales@nowpublishers.com](mailto:sales@nowpublishers.com)

now Publishers Inc. has an exclusive license to publish this material worldwide. Permission to use this content must be obtained from the copyright license holder. Please apply to now Publishers, PO Box 179, 2600 AD Delft, The Netherlands, [www.nowpublishers.com](http://www.nowpublishers.com); e-mail: [sales@nowpublishers.com](mailto:sales@nowpublishers.com)

**Foundations and Trends<sup>®</sup> in  
Human–Computer Interaction**

Volume 2 Issue 2, 2008

**Editorial Board**

**Editor-in-Chief:**

**Ben Bederson**

*Human–Computer Interaction Lab*

*University of Maryland*

*3171 A. V. Williams Bldg*

*20742, College Park, MD*

**Editors**

Gregory Abowd (Georgia Institute of Technology)

Jonathan Grudin (Microsoft Research)

Clayton Lewis (University of Colorado)

Jakob Nielsen (Nielsen Norman Group)

Don Norman (Nielsen Norman Group and Northwestern University)

Dan Olsen (Brigham Young University)

Gary Olson (UC Irvine)

Sharon Oviatt (Oregon Health and Science University)

## Editorial Scope

**Foundations and Trends<sup>®</sup> in Human–Computer Interaction** will publish survey and tutorial articles in the following topics:

- History of the research Community
- Design and Evaluation
- Ergonomics/Human Factors
- Cognitive engineering and performance models
- Predictive models of interaction
- User-centered design processes
- Participatory design
- Graphic design
- Discount evaluation techniques
- Design and interaction
- Ethnography
- Theory
- Models of cognition
- Empirical methods of evaluation
- Qualitative methods of design and evaluation
- Technology
- Programming the graphical user interface
- Input technologies
- Output technologies
- Computer supported cooperative work
- History of CSCW in HCI
- Organizational issues
- Online communities
- Games
- Communication technologies
- Interdisciplinary influence
- The role of the social sciences in HCI
- MIS and HCI
- Graphic design
- Artificial intelligence and the user interface
- Architecture and the role of the physical environment
- Advanced topics and trends
- Information visualization
- Web design
- Assistive technologies
- Multimodal interaction
- Perception and the user interface
- Specific user groups (children, elders, etc.)
- Sensor-based or tangible interaction
- Ubiquitous computing
- Virtual reality
- Augmented reality
- Wearable computing
- Design and fashion
- Privacy and social implications

### Information for Librarians

Foundations and Trends<sup>®</sup> in Human–Computer Interaction, 2008, Volume 2, 4 issues. ISSN paper version 1551-3955. ISSN online version 1551-3963. Also available as a combined paper and online subscription.

Foundations and Trends<sup>®</sup> in  
Human-Computer Interaction  
Vol. 2, No. 2 (2008) 95–173  
© 2009 K. N. Truong and G. R. Hayes  
DOI: 10.1561/1100000014



## Ubiquitous Computing for Capture and Access

Khai N. Truong<sup>1</sup> and Gillian R. Hayes<sup>2</sup>

<sup>1</sup> *University of Toronto, Canada, [khai@cs.toronto.edu](mailto:khai@cs.toronto.edu)*

<sup>2</sup> *University of California, Irvine, USA, [gillianrh@ics.uci.edu](mailto:gillianrh@ics.uci.edu)*

### Abstract

People may want to recall a multitude of experiences and information from everyday life. Human memory, however, has its limitations and can be insufficient for capturing and allowing access to salient information and important details over time. A variety of tools — primitive, analog, or digital — can complement natural memories through recording. Throughout history, in fact, record keeping and documentation have become increasingly important. In recent years, ubiquitous computing researchers have also designed and constructed mechanisms to support people in gathering, archiving, and retrieving these artifacts, a broad class of applications known as *capture and access*.

In this paper, we overview the history of documentation and recording leading broadly from primitive tools into the current age of ubiquitous computing and automatic or semi-automatic recording technologies. We present historical visions motivating much of the early

computing research in this area. We then outline the key problems that have been explored in the last three decades. Additionally, we chart future research directions and potential new focus areas in this space. This paper is based on a comprehensive analysis of the literature and both our experiences and those of many of our colleagues.

## Contents

---

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Capture and Access in the Workplace</b>	<b>11</b>
2.1	Supporting Planned and Structured Meetings	14
2.2	Impromptu and Unstructured Meetings	18
2.3	Personalizing Meeting Capture	20
<b>3</b>	<b>Capture and Access for Educational Purposes</b>	<b>23</b>
3.1	Lectures and Higher Education	23
3.2	Personalizing Educational Notes	26
3.3	Recording for Scientific Inquiry	27
3.4	Record Keeping for Childhood Education	30
<b>4</b>	<b>Continual Personal Capture and a Lifetime of Recording</b>	<b>33</b>
4.1	Continual Personal Capture	33
4.2	Personal Photograph Capture and Management	38
4.3	Managing Personal Captured Data	41
4.4	Health and Wellness	43
<b>5</b>	<b>Techniques for Capture and Access</b>	<b>49</b>
5.1	Always-On Passive Capture	49



5.2	Manually Initiated Explicit Capture	50
5.3	Buffering and Selective Archiving	51
5.4	End-User Specified Capture Behaviors	53
5.5	Accessing Captured Data	54
5.6	Support for Developing Capture and Access Applications	55
<b>6</b>	<b>Summary and Open Challenges</b>	<b>57</b>
	<b>References</b>	<b>63</b>

# 1

---

## Introduction

---

Vannevar Bush was perhaps the first to write about the benefits of a generalized capture and access computing system. In his 1945 *Atlantic Monthly* article, he described his vision of the *memex* — a system intended to store all the artifacts that a person comes in contact with in her everyday life and the associations that she creates between them [23]. In pointing out the need to provide capture and access as a ubiquitous service, he noted that a “record . . . must be continuously extended, it must be stored, and above all it must be consulted.” His envisioned system includes a desk capable of instantly displaying any file and material that the user needs. Bush also envisioned other devices to support automatic gathering of information from other daily experiences for later retrieval, such as a camera that scientists wear on their foreheads to capture pictures during an experiment and a machine to record audio dictations. The goal of these imagined devices was to support the automated capture of common everyday experiences for later review, a concept reflected in much research since his article. Czerwinski et al. [37] more recently, reflected on Bush’s vision within the context of modern recording technologies, identifying five reasons people capture digital versions of their lived experiences: memory, sharing, reflection and analysis, time management, and security.

## 2 *Introduction*

In this paper, we briefly note the origins and natural human history of recording, providing only a selective overview of the extensive literature of note-taking, documentation, and the written word. We overview the early visions of computing systems designed and developed for these purposes and detail the myriad of research works in this area — broken down by domain of inquiry. We provide some information on information management and retrieval, but focus primarily on end-user applications of ubiquitous computing for capture and access of data surrounding lived human experiences. We close with an accounting of some of the near and long-term open questions for researchers.

There is no doubt that recording, whether of histories, rules, or data, has been a significant force in human history. From the early cave paintings and hieroglyphics, to the first Bibles printed for the masses using the Guttenberg press, to the Internet and publishing that is powered by the masses, the ability to record and then share information has changed the way people are able to interact, to empower themselves, and to spread knowledge. Certainly, accompanying the advances enabled through various recording media, sacrifices and losses have also impacted human history. Practices surrounding oral histories have been lost or reduced in many cultures. Documentation has sometimes replaced human rational thought in bureaucratic organizations. Peer-review and other quality controls have been lost in some arenas to the power of inexpensive, easy publication. Likewise, the advent of ubiquitous computing and the power of automated capture and access applications have continued the trend of recording as a core human need for which technology can be an important tool, support, and effecter of change.

Fernandez [53] provides a remarkable account of the way one lawyer in colonial America remained a welcomed member of an extremely conservative community, despite his unorthodox views of religion and morality. Thomas Lechford was most likely allowed to stay in the community despite his heretical views due to his role as one of the colony's "hired hands" paid to hand copy and to write legal documents. Ironically, these activities afforded him the power to insert several of his reforms, in particular around which elements of English common law to bring to American and which to leave as well as which elements Puritan

Jurisprudence might remain. The colonists were largely unable to read his reformation writings, and even if they could, they needed him to work as colonial copier, and thus tolerated reform activities that would normally have had him exiled. This single example demonstrates what many people know to be true intuitively: those who can document and share information have access to immense power and influence upon the society for which they are recording.

The power of records may also be discerned from the emphasis placed on them by certain professional fields [47, 157, 192]. Notes can serve as memory aids, decision-making tools, historical documents, backdrops for collaborative discussion and more. Furthermore, “record-keeping practices are a central means by which organizations demonstrate accountability” [192]. Thus, note-taking often can be a “requirement of professional practice” [157], governed by rules, regulations, and “best practices.” However, many of the routines, procedures, and customs surrounding recording are in fact culturally and socially constructed. The context of the interaction has as much influence on the note-taking and record-keeping practices of the individuals as the content of these records.

Additionally, keeping records holds a significant historical place in the methods of the social sciences, many of which have been incorporated into HCI research. For example, Spindler and Spindler used films of research participants as “evocative stimuli” to encourage teacher reflection on classroom behavior, primarily their own [163, p. 19]. Goodwin described how videos could be used to develop a greater understanding of interactions by cataloging those interactions using similar methods to the cataloging of speech utterances by conversational analysts [64]. He also described the ways perceptions about those activities could be molded by the coding scheme used to catalogue and analyze them [63]. One goal of using video and audio records in some cases is to prevent some of the departure from reality that can be inherent to documentation manually recorded at the time of an incident or later. Even trained observers can make errors in judgment due to their own ingrained perceptions at the time of recording [163, pp. 219–221]. Video affords the possibility to return to those experiences at a later date for further analysis. Many education researchers have also

#### 4 *Introduction*

examined the ways in which video can be used in teacher preparation and critique [105, 106, 121].

Use of video as records in the social sciences has also been noted to have its downsides. Certainly, “the camera is selective” [163, p. 221]. In fact, so selective that Goodwin also described the ways coding techniques can be used to recreate “truth” from video within “socially situated, historically constituted” bodies of practice [63]. Thus, the old adage “seeing is believing” holds true. However, those who “see” using this constructed view of the video record, may see only what the constructor intends. The danger of acquiring a particular outlook regarding a setting either before or during the observation period can still be in place even when doing analysis of video records after direct observation. For example, Ochs [139] described the ways in which the process and style of transcription can influence the outcome of analysis. Significantly, she found this influence to be present whether the person doing the analysis was present for the initial observations or not.

The act of manual capture can also distract people from fully engaging in an experience. During the actual activity, people will not be able to devote full attention to the activity because they must devote time and effort towards the capture task. Conversely, when people wish to become engaged in the activity, they may not be able to take the time for recording enough details for later use. Bederson described the importance of using applications, like his NoteLens, to augment not to detract from human ability to stay in the moment [12] — in the “flow” of optimal human experience [35].

Recording adds extra challenges when considering storage of and access to that information over a long period of time. First, a large amount of information is generated, requiring intensive searching or browsing. Thus, a user’s ability to easily access a specific piece of information depends on not only where the user chooses to store the information but also how it is organized. Retrieval then becomes a matter of how to index into the collection of captured information. The ability to index into captured information flexibly and to correlate pieces of that information is important because the salient features for triggering the retrieval of the desired information can be a portion of the content or the surrounding context. Accessing content also involves

more than the simple retrieval of content. Depending on the situation, users may want to recall information at different level of details.

Additionally, vast amounts of information stored initially for particular reasons can be used in very different ways once compiled together, raising a host of concerns about appropriate information use [91, 138]. In Europe, current laws prevent use of data for any purpose other than that which originally collected [52]. In the United States, however, as of this writing, no such restrictions are present.

Despite the many flaws of recording technologies and processes, keeping records is a significant part of the production of scientific and practical knowledge. By enhancing the ways in which people can document information, we can work towards reducing some of these issues. Following on the Memex vision, in 1960, Licklider presented his vision of the “mechanically extended man,” describing how man-machine symbiosis can augment the human intellect in the future by freeing it from mundane tasks [112]. He emphasized the importance of the separable functions between the user and the computer in the symbiotic association based on what humans are good at (e.g., synthesizing an experience, making associations between information) and what computers are good at (e.g., capture, storage). Although he and Bush shared very similar visions, the technological progression over the 15 years between their writings helped Licklider to ground his idea with an understanding of the relevant issues and challenges that needed to be investigated, such as how to store the information and how to provide natural, ubiquitous interfaces for input and output tasks [35].

Like Bush and Licklider, Douglas Engelbart also believed that technology could be used to augment human intellect [51]. However, Engelbart believed in more than merely augmenting individual memory. In his work at the Bootstrap Institute, he coined the term “Collective IQ” to describe how a group can “leverage its collective memory, perception, planning, reasoning, foresight, and experience into applicable knowledge” to solve problems. The key factor in Collective IQ is the quality of the group’s knowledge repository. However, augmentation also depends heavily on the speed and ease of creating and retrieving knowledge. Engelbart demonstrated the importance of these factors through the simple example of how tying a brick to a pencil can de-augment users.

## 6 Introduction

These early visions were (and remain) inspirational to many areas of computer science. However, it was not until the beginning of the 1990s that these ideas were explored away from the desktop computer. In his seminal 1991, *Scientific American* article, Mark Weiser describes a vision of *ubiquitous computing* in which technology is seamlessly integrated into the environment and provides useful services to humans in their everyday activities [186]. Weiser described several scenarios demonstrating the benefits of automated capture and access, such as:

1. *Sal doesn't remember Mary, but she does vaguely remember the meeting. She quickly starts a search for meetings in the past two weeks with more than 6 people not previously in meetings with her, and finds the one.*
2. *Sal looks out her windows at her neighborhood. Sunlight and a fence are visible through one, and through others she sees electronic trails that have been kept for her of neighbors coming and going during the early morning.*

These scenarios illustrate two interesting ways that information automatically captured on behalf of the user could be used later for two different environments — at home and at work. However, Weiser left out many important details to inspire others to investigate creative applications for automated capture and access. The first scenario describes the user searching through a list of captured meetings for a particular meeting that satisfies the salient context about it that she remembers. However, we can imagine other desirable access behaviors that could have also helped Sal, such as content-based retrieval or browsable summaries of meetings. The second scenario, in addition to capturing nontraditional data types, demonstrates a very short-term access of the captured information, where walk trails are displayed hours afterward. In this application, the captured information is used only a short time after it occurred; it is conceivable this captured information is useful even after a long period of time passes. This scenario also introduces interesting privacy concerns relevant to the area of automated capture and access.

Ubiquitous computing technologies also can begin to remedy the selectivity and ambiguity of human memory. People often have

difficulty foreseeing the value of information [188] or predicting when an event of significance (e.g., baby's first steps) might occur. Automated capture technologies can enable models of recording in which a person can determine the value of information about an event *after* that event rather than *before*.

As ubiquitous computing technologies improve, they can also reduce errors and challenges in external recorded memory as well. For example, we can reduce the selectivity of the camera by providing multiple fixed views of particular interactions. We can reduce the selectivity of coding of media by keeping the media and allowing access to varied coding schemes. Larger and more complex data provenance schemes can work towards ensuring the authenticity of the original record.

A large number of ubiquitous computing research projects focus on or incorporate technologies for capturing details of a live experience automatically and providing future access to those records. This theme of ubiquitous computing research is commonly referred to as *capture and access applications* [5]. We define *capture and access* as the task of preserving a record of some live experience for future review. Capture occurs when a tool records data that documents an experience. The *captured data* are recorded as *streams of information* that flow through time. The tools that record experiences are the *capture devices*; and the tools used to review captured experiences are the *access devices*. A *capture and access application* can exist in the simplest form through a single capture and access device or in a more complex form as a collection of capture and access devices [177]. Four common goals exist across ubiquitous computing applications focused on capture and access functionality:

1. *Capture should happen naturally*: The usefulness of this service often lies in its ability to remove the burden of recording from the human to support focusing attention on the live experience [5]. As a result, capture must be supported unobtrusively and should require little or no additional user effort. This behavior typically has been supported by (1) capturing raw audio and video of an experience and processing it later for additional semantic information or (2) augmenting the



8 *Introduction*

devices that the user normally uses during an activity to log salient data.

2. *Information should be accessible with minimal effort:* The design of capture and access applications involves more than the development of unobtrusive capture services. The usefulness of these services becomes evident in the access phase when users need to review the information. Brotherton previously defined successful *access* as situations in which information can be found at the proper level of detail (as accepted by the user doing the access) with minimal effort [19]. Additionally, as Abowd and Mynatt point out, these information access services are most useful when they are ubiquitous [5]. Together, these two points indicate that users require interfaces that support access whenever, wherever, and however they need.
3. *Records should be cross-indexed by content and context:* Over a long period of time, automated capture results in the recording of a large amount of information. This amassing of data may cause users to experience difficulty in finding desired points of interest in the captured streams. To help users better navigate through these streams of information, applications often support many forms of indices so a user can jump directly to relevant points in a stream [127]. Additionally, access tools should be able to easily correlate and compute over events across streams and levels of detail, as motivated by user retrieval needs. For example, a person might remember a portion of the content or the surrounding context; as such, records should be cross-indexed by content as well as context.
4. *Records should be created, stored, and accessed in socially, ethically, and legally responsible ways:* Development of ubiquitous computing, database, and storage and processing technologies has led to a new “recording age,” in which immense quantities of data about everyday life are being amassed. To ensure that users maintain a natural experience, capture technologies must be created in ways that

reflect their comfort levels with them. Likewise, to ensure appropriate protections against misuse and other social and societal challenges, storage and access portions of capture and access systems should ensure these same requirements are upheld.

These requirements stem not only from formative, philosophical, and analytical inquiries into capture and access technologies but also from a review of successful applications of ubiquitous computing technologies to the problem of large scale and naturalistic recording. In the previous work, we also identified five dimensions in the design space for capture and access applications (see Table 1.1). These dimensions are explored in more depth in the summary section as a means for understanding the applications overviewed in this paper.

In this paper, we outline the history of such projects from early visions at the dawn of computing to current and future trends. We divide these technologies and applications initially by domain area: workplace (Section 2), educational and scientific (Section 3), and personal (Section 4). This division enables the reader to follow how specific human problems have motivated and driven many researchers to design,

Table 1.1 Key dimensions in the design of capture and access applications.

Dimension	Description
When & where capture occurs	When and where does capture occur — how ubiquitous is recording? <ul style="list-style-type: none"> <li>• Fixed locations vs mobile or wearable</li> <li>• Continuous, at scheduled times, or only when explicitly specified?</li> </ul>
Methods for capturing and annotating the live experience	How is recording activated? How are annotations and other meta-data associated to the raw data?
Number of devices	How many and what types of recording devices are associated with the capture application? How many and what types of storage devices are associated?
Techniques for reviewing captured information	How do users access search, browse, index, and retrieve captured content?
Length of time captured information persists	How long will data persist? How will it age (e.g., automatic deletion, user-assisted deletion, time-based degradation)?

10 *Introduction*

develop, and deploy capture and access technologies. In Section 5, we describe the techniques for capture and access across these domain problems, with a more explicitly technological focus. In Section 6, we close with a summary of the design space and some indication of the major open challenges that remain in this research area.

## References

---

- [1] G. D. Abowd, "Classroom 2000: An experiment with the instrumentation of a living educational environment," *IBM Systems Journal*, vol. 38, no. 4, pp. 508–530, 1999.
- [2] G. D. Abowd, "Using computing technologies to face the challenges of autism," in *Social Impact Award Talk at CHI 2007: The ACM Conference on Human Factors in Computing Systems*, San Jose, CA: San Jose McEnergy Convention Center, May 3, 2007.
- [3] G. D. Abowd, M. Gauger, and A. Lachenmann, "The family video archive: An annotation and browsing environment for home movies," in *Proceedings of the 5th ACM SIGMM International Workshop on Multimedia Information Retrieval*, pp. 1–8, 2003.
- [4] G. D. Abowd, G. R. Hayes, G. Iachello, J. A. Kientz, S. N. Patel, M. Stevens, and K. N. Truong, "Prototypes and paratypes: Designing mobile and ubiquitous computing applications," *IEEE Pervasive Computing*, vol. 4, no. 4, pp. 67–73, 2005.
- [5] G. D. Abowd and E. D. Mynatt, "Charting past, present, and future research in ubiquitous computing," *ACM Transactions on Computer-Human Interaction*, vol. 7, no. 1, pp. 29–58, 2000.
- [6] E. Adar, D. Karger, and L. A. Stein, "Haystack: Per-user information environments," in *Proceedings of CIKM 1999: The 8th International Conference on Information and Knowledge Management*, pp. 413–422, 1999.
- [7] K. Aizawa, D. Tanchaoren, S. Kawasaki, and T. Yamasaki, "Efficient retrieval of life log based on content and context," in *Proceedings of CARPE 2004: The First ACM Workshop on Continuous Archival and Retrieval of Personal Experiences*, pp. 22–31, 2004.

## 64 References

- [8] C. Bacher, R. Müller, T. Ottmann, and M. Will, "Authoring on the fly: A new way of integrating telepresentation and courseware production," in *Proceedings of the 5th International Conference on Computers in Education*, 1997.
- [9] D. Barreau, A. Crystal, J. Greenberg, A. Sharma, M. Conway, J. Oberlin, M. Shoffner, and S. Seiberling, "Augmenting memory for student learning: Designing a context-aware capture system for biology education," in *Proceedings of the American Society for Information Science and Technology*, vol. 43, no. 1, pp. 251–251, 2007.
- [10] D. Barreau and B. A. Nardi, "Finding and reminding: File organization from the desktop," *ACM SIGCHI Bulletin* 27, pp. 39–43, 1995.
- [11] C. Beckmann, S. Consolvo, and A. LaMarca, "Some assembly required: Supporting end-user sensor installation in domestic ubiquitous computing environments," in *Proceedings of Ubicomp 2004: The 6th International Conference on Ubiquitous Computing*, pp. 107–124, 2004.
- [12] B. B. Bederson, "Interfaces for staying in the flow," *Ubiquity*, vol. 5, no. 27, p. 1, 2004.
- [13] G. Bell, "A personal digital store," *Communications of the ACM*, vol. 44, no. 1, pp. 86–91, 2001.
- [14] M. Bernstein, M. Van Kleek, D. Karger, and M. C. Schraefel, "Information scraps: How and why information eludes our personal information management tools," *ACM Transactions on Information Systems*, vol. 26, no. 4, pp. 1–46, 2008.
- [15] M. Bernstein, M. Van Kleek, D. R. Karger, and M. C. Schraefel, "Management of personal information scraps," in *Extended Abstracts of CHI 2007: The ACM Conference on Human Factors in Computing Systems*, pp. 2285–2290, 2007.
- [16] D. Berque, A. Hutcheson, D. Johnson, L. Jovanovic, K. Moore, C. Singer, and K. Slattery, "Using a variation of the WYSIWIS shared drawing surface paradigm to support electronic classrooms," in *Proceedings of HCT'99: The 8th International Conference on Human Computer Interaction*, 1999.
- [17] M. Bianchi, "AutoAuditorium: A fully automatic, multi-camera system to televise auditorium presentations," Paper Presented at the Joint DARPA/NIST Smart Spaces Workshop, Gaithersburg, Maryland, July 30–31, 1998.
- [18] M. Black, F. Berard, A. Jepson, W. Newman, E. Saund, G. Socher, and M. Taylor, "Digital office: Overview," in *Proceedings of the AAAI Spring Symposium on Intelligent Environments*, pp. 1–6, 1998.
- [19] J. A. Brotherton, "Enriching everyday activities through the automated capture and access of live experiences — eClass: Building, observing and understanding the impact of capture and access in an educational domain," Ph.D. Dissertation: 270 pages, Georgia Institute of Technology, 2001.
- [20] J. A. Brotherton and G. D. Abowd, "Lessons learned from eClass: Assessing automated capture and access in the classroom," *ACM Transactions on Computer-Human Interaction*, vol. 11, no. 2, pp. 121–155, 2004.
- [21] J. A. Brotherton, G. D. Abowd, and K. N. Truong, "Supporting capture and access interfaces for informal and opportunistic meetings," Technical Report GIT-GVU-99-06, Georgia Institute of Technology, 1999.

- [22] J. A. Brotherton, J. R. Bhalodia, and G. D. Abowd, "Automated capture, integration, and visualization of multiple media streams," in *Proceedings of the IEEE International Conference on Multimedia Computing and Systems*, pp. 54–63, 1998.
- [23] V. Bush, "As we may think," *The Atlantic Monthly*, vol. 176, no. 1, pp. 101–108, 1945.
- [24] W. Buxton and T. P. Moran, "EuroPARC's integrated interactive intermedia facility (IIIF): Early experiences," in *Proceedings of the IFIP WG8.4 Conference on Multi-User Interfaces and Applications*, pp. 11–34, 1990.
- [25] C. Campbell and P. Maglio, "Supporting notable information in office work," in *Extended Abstracts of CHI 2003: The ACM Conference on Human Factors in Computing Systems*, pp. 902–903, 2003.
- [26] P. Chiu, A. Kapuskar, S. Reitmeier, and L. Wilcox, "NoteLook: Taking notes in meetings with digital video and ink," in *Proceedings of the 7th ACM International Conference on Multimedia*, pp. 149–158, 1999.
- [27] P. Chiu and K. N. Truong, "Interactive space-time planes for document visualization," in *Compendium of IEEE Symposium on Information Visualization*, pp. 10–11, 2002.
- [28] A. Civan, M. M. Skeels, A. Stolyar, and W. Pratt, "Personal health information management: Consumers' perspectives," in *Proceedings of AMIA 2006 Annual Symposium*, pp. 156–160, 2006.
- [29] B. P. Clarkson, "Life patterns: Structure from wearable sensors," Ph.D. Dissertation: 130 pages, Massachusetts Institute of Technology, 2002.
- [30] S. Consolvo, P. V. Klasnja, D. W. McDonald, D. Avrahami, J. Froehlich, L. LeGrand, R. Libby, K. Mosher, and J. A. Landay, "Flowers or a robot army?: Encouraging awareness and activity with personal, mobile displays," in *Proceedings of Ubicomp 2008: The 10th International Conference on Ubiquitous Computing*, pp. 54–63, 2008.
- [31] S. Consolvo, D. W. McDonald, T. Toscos, M. Y. Chen, J. Froehlich, B. Harrison, P. Klasnja, A. LaMarca, L. LeGrand, R. Libby, and I. S. and J. A. Landay, "Activity sensing in the wild: A field trial of ubifit garden," in *Proceeding of CHI 2008: The ACM Conference on Human Factors in Computing Systems*, pp. 1797–1806, 2008.
- [32] S. Consolvo, P. Roessler, B. E. Shelton, A. LaMarca, B. Schilit, and S. Bly, "Technology for care networks of elders," *IEEE Pervasive Computing*, vol. 3, no. 2, pp. 22–29, 2004.
- [33] P. Cowley, J. Haack, R. Littlefield, and E. Hampson, "Glass box: Capturing, archiving, and retrieving workstation activities," in *Proceedings of CARPE 2006: The 3rd ACM Workshop on Continuous Archival and Retrieval of Personal Experiences*, pp. 13–18, 2006.
- [34] G. Cruz and R. Hill, "Capturing and playing multimedia events with STREAMS," in *Proceedings of the Second ACM International Conference on Multimedia*, pp. 193–200, 1994.
- [35] M. Csikszentmihalyi, *Flow: The Psychology of Optimal Experience*. Harper-Collins, 1991.
- [36] E. Cutrell, S. T. Dumais, and J. Teevan, "Searching to reduce the need for personal information management," *Communications of the ACM*

## 66 References

- (*Special Issue: Personal Information Management*), vol. 49, no. 1, pp. 58–64, 2006.
- [37] M. Czerwinski, D. W. Gage, J. Gemmell, C. C. Marshall, M. A. Pérez-Quiñones, M. M. Skeels, and T. Catarci, “Digital memories in an era of ubiquitous computing and abundant storage,” *Communications of the ACM*, vol. 49, no. 1, pp. 44–50, 2006.
- [38] R. C. Davis, J. A. Landay, V. Chen, J. Huang, R. B. Lee, F. C. Li, J. Lin, C. B. Morrey III, B. Schleimer, M. N. Price, and B. N. Schilit, “NotePals: Lightweight note sharing by the group, For the group,” in *Proceedings of CHI 1999: The ACM Conference on Human Factors in Computing Systems*, pp. 338–345, 1999.
- [39] G. C. de Silva, T. Yamasaki, and K. Aizawa, “Experience retrieval in a ubiquitous home,” in *Proceedings of CARPE 2005: The ACM Multimedia Workshop on Continuous Archival of Personal Experience*, pp. 35–44, 2005.
- [40] A. K. Dey, D. Salber, G. D. Abowd, and M. Futakawa, “The conference assistant: Combining context-awareness with wearable computing,” in *Proceedings of the 3rd IEEE International Symposium on Wearable Computers*, pp. 21–28, 1999.
- [41] A. K. Dey, T. Sohn, S. Streng, and J. Kodama, “iCAP: Interactive prototyping of context-aware applications,” in *Proceedings of Pervasive 2005: The International Conference on Pervasive Computing*, pp. 254–271, 2006.
- [42] P. H. Dietz and W. S. Yerazunis, “Real-time audio buffering for telephone applications,” in *Proceedings of UIST 2001: The ACM Symposium on User Interface Software and Technology*, pp. 193–194, 2001.
- [43] P. Dourish, W. K. Edwards, A. LaMarca, and M. Salisbury, “Presto: An experimental architecture for fluid interactive document spaces,” *ACM Transactions on Computer–Human Interaction*, vol. 6, no. 2, pp. 133–161, 1996.
- [44] S. Dumais, E. Cutrell, J. Cadiz, G. Jancke, R. Sarin, and D. C. Robbins, “Stuff I’ve seen: A system for personal information retrieval and re-use,” in *Proceedings of the 26th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval*, pp. 72–79, 2003.
- [45] P. Ehlen, R. Fernandez, and M. Frampton, “Designing and evaluating meeting assistants, keeping humans in mind,” in *Proceedings of the 5th International Workshop on Machine Learning for Multimodal Interaction*, pp. 309–314, 2008.
- [46] P. Ehlen, M. Purver, and J. Niekrasz, “A meeting browser that learns,” in *Interaction Challenges for Intelligent Assistants: Papers from the 2007 AAAI Spring Symposium*, Stanford, CA, March 2007.
- [47] J. H. Eichhorn, “Anesthesia record keeping,” *Journal of Clinical Monitoring and Computing*, vol. 10, no. 2, pp. 109–115, 1993.
- [48] M. Eldridge, M. Lamming, and M. Flynn “Does a video diary help recall?” In *Proceedings of HCI’92: The Conference on People and Computers VII*, pp. 257–269, 1992.
- [49] D. P. W. Ellis and K. Lee, “Minimal-impact audio-based personal archives,” in *Proceedings of CARPE 2004: The 1st ACM Workshop on Continuous Archival and Retrieval of Personal Experiences*, pp. 39–47, 2004.

- [50] S. Elrod, R. Bruce, R. Gold, D. Goldberg, F. Halasz, W. Janssen, D. Lee, K. McCall, E. Pedersen, K. Pier, J. Tang, and B. Welch, "Liveboard: A large interactive display supporting group meetings, presentations, and remote collaboration," in *Proceedings of CHI 1992: The ACM Conference on Human Factors in Computing Systems*, pp. 599–607, 1992.
- [51] D. C. Engelbart, "Augmenting human intellect: A conceptual framework," Summary Report, AFOSR-3223 — Contract AF49(638)-1024, SRI Project 3578: Air Force Office of Scientific Research, 1962.
- [52] European Union Directive 95/46/EC. [http://ec.europa.eu/justice\\_home/fsj/privacy/index\\_en.htm](http://ec.europa.eu/justice_home/fsj/privacy/index_en.htm).
- [53] A. Fernandez, "Record-keeping and other troublemaking: Thomas Lechford and law reform in colonial Massachusetts," *Law and History Review*, vol. 23, no. 2, 2005.
- [54] M. Fleck, M. Frid, T. Kindberg, E. O'Brien-Strain, R. Rajani, and M. Spasojevic, "Rememberer: A tool for capturing museum visits," in *Proceedings of Ubicomp 2002: The 4th International Conference on Ubiquitous Computing*, pp. 48–55, 2002.
- [55] R. Fleck and G. Fitzpatrick, "Supporting reflection with passive image capture," in *Supplementary Proceedings of COOP'06*, pp. 41–48, 2006.
- [56] E. T. Freeman, "The lifestreams software architecture," Ph.D. Dissertation: 185 pages, Yale University, 1997.
- [57] R. Gellman, "Personal health records: Why many PHRs threaten privacy," A report prepared for the *World Privacy Forum*, February 20, 2008.
- [58] J. Gemmell, G. Bell, R. Lueder, S. Drucker, and C. Wong, "MyLifeBits: Fulfilling the memex vision," in *Proceedings of the 10th ACM International Conference on Multimedia*, pp. 235–238, 2002.
- [59] J. Gemmell, L. Williams, K. Wood, R. Lueder, and B. Gordon, "Passive capture and ensuing issues for a personal lifetime store," in *Proceedings of the CARPE 2004: The 1st ACM Workshop on Continuous Archival and Retrieval of Personal Experiences*, pp. 48–55, 2004.
- [60] J. Glass, T. J. Hazen, S. Cyphers, I. Malioutov, D. Huynh, and R. Barzilay, "Recent progress in the MIT spoken lecture processing project," in *Proceedings of Interspeech*, 2007.
- [61] A. A. Glatthorn, "Outcome based education: Reform and the curriculum process," *Journal of Curriculum and Supervision*, vol. 8, no. 4, pp. 354–363, 1993.
- [62] M. L. Gleicher, R. M. Heck, and M. N. Wallick, "A framework for virtual videography," in *Proceedings of the 2nd International Symposium on Smart Graphics*, pp. 9–16, 2002.
- [63] C. Goodwin, "Professional vision," in *American Anthropologist*, vol. 96, no. 3, pp. 606–633, 1994.
- [64] C. Goodwin, "Transparent vision," in *Interaction and Grammar*, (E. Ochs, E. A. Schegloff, and S. Thompson, eds.), pp. 370–404, 1996.
- [65] G. D. Haertel, *A Primer on Teacher Self-Evaluation*. Publication Series No. 93-3, 1993.



## 68 References

- [66] M. Håkansson, S. Ljungblad, and L. E. Holmquist, "Capturing the invisible: Designing context-aware photography," in *Proceedings of DIS 2003: The ACM Conference on Designing for User Experiences*, pp. 1–4, 2003.
- [67] A. Hargreaves and A. Moore, "Educational outcomes, modern and postmodern interpretations: Response to Smyth and Dow," *British Journal of Sociology of Education*, vol. 21, no. 1, pp. 27–42, 2000.
- [68] G. R. Hayes and G. D. Abowd, "Tensions in designing capture technologies for an evidence-based care community," in *Proceedings of CHI 2006: The ACM Conference on Human Factors in Computing Systems*, pp. 937–946, 2006.
- [69] G. R. Hayes, L. M. Gardere, G. D. Abowd, and K. N. Truong, "CareLog: A selective archiving tool for behavior management in schools," in *Proceedings of CHI 2008: The ACM Conference on Human Factors in Computing Systems*, pp. 685–694, 2008.
- [70] G. R. Hayes, J. A. Kientz, K. N. Truong, D. R. White, G. D. Abowd, and T. Pering, "Designing capture applications to support the education of children with autism," in *Proceedings of Ubicomp 2004: The 6th International Conference on Ubiquitous Computing*, pp. 161–178, 2004a.
- [71] G. R. Hayes, S. N. Patel, K. N. Truong, G. Iachello, J. A. Kientz, R. Farmer, and G. D. Abowd, "The personal audio loop: Designing a ubiquitous audio-based memory aid," in *Proceedings of the 6th International Symposium on Mobile Human-Computer Interaction*, pp. 168–179, 2004b.
- [72] G. R. Hayes, J. S. Pierce, and G. D. Abowd, "Practices for capturing short important thoughts," in *Extended Abstracts of CHI 2003: The ACM Conference on Human Factors in Computing Systems*, pp. 904–905, 2003.
- [73] G. R. Hayes, E. S. Poole, G. Iachello, S. N. Patel, A. Grimes, G. D. Abowd, and K. N. Truong, "Physical, social, and experiential knowledge in pervasive computing environments," *IEEE Pervasive Computing*, vol. 6, no. 4, pp. 56–63, 2007.
- [74] G. R. Hayes, K. N. Truong, G. D. Abowd, and T. Pering, "Experience buffers: A socially appropriate, selective archiving tool for evidence-based care," in *Extended Abstracts of CHI 2005: The ACM Conference on Human Factors and Computing Systems*, pp. 1435–1438, 2005.
- [75] T. L. Hayes, M. Pavel, P. K. Schallau, and A. M. Adami, "Unobtrusive monitoring of health status in an aging population," in *UbiHealth 2003: The Second International Workshop on Ubiquitous Computing for Pervasive Healthcare Applications*, Seattle, Washington, 2003.
- [76] J. Healey and R. W. Picard, "StartleCam: A cybernetic wearable camera," in *Proceedings of the 2nd IEEE International Symposium on Wearable Computers*, pp. 42–49, 1998.
- [77] L. J. Heflin and R. L. Simpson, "Interventions for children and youth with autism: Prudent choices in a world of exaggerated claims and empty promises," *Intervention and Treatment Option Review. Focus on Autism and Other Developmental Disabilities*, vol. 13, no. 4, pp. 194–211, 1998.
- [78] D. Hindus and C. Schmandt, "Ubiquitous audio: Capturing spontaneous collaboration," in *Proceedings of CSCW 1992: The ACM Conference on Computer-Supported Cooperative Work*, pp. 210–217, 1992.

- [79] HIPAA: Health Insurance Portability and Accountability Act of 1996 (HIPAA, Title II), 1996.
- [80] S. Hodges, L. Williams, E. Berry, S. Izadi, J. Srinivasan, A. Butler, G. Smyth, N. Kapur, and K. Wood, “SenseCam: A retrospective memory aid,” in *Proceedings of Ubicomp 2006: The International Conference on Ubiquitous Computing*, pp. 177–193, 2006.
- [81] J. I. Hong, J. D. Ng, S. Lederer, and J. A. Landay, “Privacy risk models for designing privacy-sensitive ubiquitous computing systems,” in *Proceedings of DIS 2004: The ACM Conference on Designing Interactive Systems*, pp. 91–100, 2004.
- [82] J. Huang, “A collaborative property-based note management system,” Master’s Dissertation: 48 pages, University of California at Berkeley, 2000.
- [83] G. Iachello and G. D. Abowd, “Privacy and proportionality: Adapting legal evaluation techniques to inform design in ubiquitous computing,” in *Proceedings of CHI 2005: The ACM Conference on Human Factors in Computing Systems*, pp. 91–100, 2005.
- [84] G. Iachello, K. N. Truong, G. D. Abowd, G. R. Hayes, and M. Stevens, “Prototyping and sampling experience to evaluate ubiquitous computing privacy in the real world,” in *Proceedings of CHI’06: The ACM Conference on Human Factors in Computing Systems*, pp. 1009–1018, 2006.
- [85] W. Ives, “Using computer-controlled audio-video feedback to integrate evaluation and training,” Paper presented at the Annual Meeting of the American Educational Research Association, San Francisco, CA, March, 1989.
- [86] A. Jaffe, M. Naaman, T. Tassa, and M. Davis, “Generating summaries for large collections of geo-referenced photographs,” in *Proceedings of WWW 2006: The 15th International Conference on World Wide Web*, pp. 853–854, 2006.
- [87] B. Janssen ILU Manual. Xerox Technical Report ISTL-CSA-94-01-02, Xerox PARC, Palo Alto, CA, 1994.
- [88] W. Ju, A. Ionescu, L. Neeley, and T. Winograd, “Where the wild things work: Capturing shared physical design workspaces,” in *Proceedings of CSCW 2004: The ACM Conference on Computer Supported Cooperative Work*, pp. 533–541, 2004.
- [89] V. Kalnikaitė and S. Whittaker, “Software or wetware?: Discovering when and why people use digital prosthetic memory,” in *Proceedings of CHI 2007: The ACM Conference on Human Factors in Computing Systems*, pp. 71–80, 2007.
- [90] H. Kang and B. Shneiderman, “Visualization methods for personal photo collections: Browsing and searching in the photofinder,” in *Proceedings of the IEEE International Conference on Multimedia and Expo*, pp. 1539–1542, 2000.
- [91] S. Karas, “Enhancing the privacy discourse: Consumer information gathering as surveillance,” *Journal of Technology Law and Policy*, vol. 7, no. 1, 2002.
- [92] J. A. Kientz, R. I. Arriaga, M. Chetty, G. R. Hayes, J. Richardson, S. N. Patel, and G. D. Abowd, “Grow and know: understanding record-keeping needs for tracking the development of young children,” in *Proceedings of CHI 2007: The*

## 70 References

- ACM Conference on Human Factors in Computing Systems*, pp. 1351–1360, 2007a.
- [93] J. A. Kientz, S. Boring, G. D. Abowd, and G. R. Hayes, “Abaris: Evaluating automated capture applied to structured autism interventions,” in *Proceedings of Ubicomp 2005: The International Conference on Ubiquitous Computing*, pp. 323–339, 2005.
- [94] J. A. Kientz, G. R. Hayes, G. D. Abowd, and R. E. Grinter, “From the war room to the living room: Decision support for home-based therapy teams,” in *Proceedings of CSCW 2006: The ACM Conference on Computer Supported Cooperative Work*, pp. 209–218, 2006.
- [95] J. A. Kientz, G. R. Hayes, T. L. Westeyn, T. Starner, and G. D. Abowd, “Pervasive computing and autism: Assisting caregivers of children with special needs,” *IEEE Pervasive Computing*, vol. 6, no. 1, pp. 28–35, 2007b.
- [96] P. Kim, U. Gargi, and R. Jain, “Event-based multimedia chronicling systems,” in *Proceedings of CARPE 2005: The 2nd ACM Workshop on Continuous Archival and Retrieval of Personal Experiences*, pp. 1–12, 2005.
- [97] P. Kim, M. Podlaseck, and G. Pingali, “Personal chronicling tools for enhancing information archival and collaboration in enterprises,” in *Proceedings of CARPE 2004: The 1st ACM Workshop on Continuous Archival and Retrieval of Personal Experiences*, pp. 56–65, 2004.
- [98] A. Kiss and J. Quinqueton, “Uniscript: A model for persistent and incremental knowledge storage,” in *Proceedings of CARPE 2004: The 1st ACM Workshop on Continuous Archival and Retrieval of Personal Experiences*, pp. 66–73, 2004.
- [99] S. R. Klemmer, M. W. Newman, R. Farrell, M. Bilezikjian, and J. A. Landay, “The designers’ outpost: A tangible interface for collaborative web site,” in *Proceedings of UIST 2001: The ACM Symposium on User Interface Software and Technology*, pp. 1–10, 2001.
- [100] S. R. Klemmer, M. Thomsen, E. Phelps-Goodman, R. Lee, and J. A. Landay, “Where do web sites come from? Capturing and interacting with design history,” in *Proceedings of CHI 2002: The ACM Conference on Human Factors in Computing Systems*, pp. 1–8, 2002.
- [101] J. Korhonen, T. Ojala, A. Ristola, M. Kesti, V. Kilpelänaho, M. Koskinen, and E. Viippola, “Mobile fair diary: Hybrid interface for taking, browsing and sharing context-aware notes,” *Personal and Ubiquitous Computing*, vol. 11, no. 7, pp. 577–589, 2007.
- [102] M. Lamming, P. Brown, K. Carter, M. Eldridge, M. Flynn, G. Louie, P. Robinson, and A. Sellen, “The design of a human memory prosthesis,” *The Computer Journal*, vol. 37, no. 3, pp. 153–163, 1994.
- [103] M. Lamming and M. Flynn, “Forget-Me-Not: Intimate computing in support of human memory,” in *Proceedings of Friend 21: International Symposium on Next Generation Human Interface*, pp. 125–128, 1994.
- [104] M. G. Lamming, “NoTime — A tool for notetakers,” *EuroPARC Technical Report*, 1991.
- [105] M. Lampert “Why use interactive media in teacher preparation?” *Innovator* vol. 25, no. 1, 1994.

- [106] M. Lampert, R. Heaton, and D. Ball, "Using technology to support a new pedagogy of mathematics education," *Journal of Special Education Technology (Special Issue: Technology and teaching)*, vol. 12, no. 3, 1994.
- [107] J. A. Landay and R. C. Davis, "Making sharing pervasive: Ubiquitous computing for shared note taking," *IBM Systems Journal*, vol. 38, no. 4, pp. 531–550, 1999.
- [108] H. Lee, A. F. Smeaton, N. E. O'Connor, and G. J. F. Jones, "Adaptive visual summary of lifelog photos for personal information management," in *AIR 2006 — First International Workshop on Adaptive Information Retrieval*, Glasgow, UK, October 14, 2006.
- [109] M. L. Lee and A. K. Dey, "Providing good memory cues for people with episodic memory impairment," in *Proceedings of the 9th International ACM SIGACCESS Conference on Computers and Accessibility*, pp. 131–138, 2007.
- [110] M. L. Lee and A. K. Dey, "Lifelogging memory appliance for people with episodic memory impairment," in *Proceedings of UbiComp 2008: The International Conference on Ubiquitous Computing*, pp. 44–53, 2008.
- [111] G. Leinhardt, "Expertise in mathematics teaching," *Educational Leadership*, vol. 43, pp. 23–27, 1986.
- [112] J. C. R. Licklider, "Man machine symbiosis," *IRE Transactions on Human Factors in Electronics*, vol. 1, pp. 4–11, 1960.
- [113] J. Lin, L. Mamykina, S. Lindtner, G. Delajooux, and H. Strub, "Fish'n'Steps: Encouraging physical activity with an interactive computer game," in *Proceedings of UbiComp 2006: The International Conference on Ubiquitous Computing*, pp. 261–278, 2006.
- [114] M. Lin, M. W. Newman, J. I. Hong, and J. A. Landay, "DENIM: Finding a tighter fit between tools and practice for Web site design," in *Proceedings of CHI 2000: The ACM Conference on Human Factors in Computing Systems*, pp. 510–517, 2000.
- [115] Q. Liu, Y. Rui, A. Gupta, and J. J. Cadiz, "Automating camera management for lecture room environments," in *Proceedings of CHI 2001: The ACM Conference on Human Factors in Computing Systems*, pp. 442–449, 2001.
- [116] A. Lockerd and F. M. Mueller, "LAFCam: Leveraging affective feedback camcorder," in *Extended Abstracts of CHI 2002: The ACM Conference on Human Factors in Computing Systems*, pp. 574–575, 2002.
- [117] B. MacIntyre, E. D. Mynatt, S. Voida, K. M. Hansen, J. Tullio, and G. M. Corso, "Support for multitasking and background awareness using interactive peripheral displays," in *Proceedings of UIST 2001: The ACM Symposium on User Interface Software and Technology*, pp. 41–50, 2001.
- [118] W. E. Mackay, G. Pothier, C. Letondal, K. Bøegh, and H. E. Sørensen, "The missing link: Augmenting biology laboratory notebooks," in *Proceedings of UIST 2002: The ACM Symposium on User Interface Software and Technology*, pp. 41–50, 2002.
- [119] L. Mamykina, S. Goose, D. Hedqvist, and D. V. Beard, "CareView: Analyzing nursing narratives for temporal trends," in *Extended Abstracts of CHI 2004: The ACM Conference on Human Factors in Computing Systems*, pp. 1147–1150.

## 72 References

- [120] L. Mamykina, E. D. Mynatt, and D. R. Kaufman, "Investigating health management practices of individuals with diabetes," in *Proceedings of CHI 2006: The ACM Conference on Human Factors in Computing Systems*, pp. 927–936, 2006.
- [121] R. W. Marx, P. C. Blumenfeld, J. S. Krajcik, and E. Soloway, "New technologies for teacher professional development," *Teaching and Teacher Education*, vol. 14, no. 1, pp. 33–52, 1998.
- [122] D. R. McGee, P. R. Cohen, and L. Wu, "Something from nothing: Augmenting a paper-based work practice via multimodal interaction," in *Proceedings of DARE 2000 on Designing Augmented Reality Environments*, pp. 71–80, 2000.
- [123] J. McKernan, "Some limitations of outcome-based education," *Journal of Curriculum and Supervision*, vol. 8, no. 4, pp. 343–53, 1993.
- [124] G. McNeir, "Outcomes based education: An overview *ERIC Difest 85*," Education Commission of the United States, November, 1993.
- [125] A. S. Melenhorst, A. D. Fisk, E. D. Mynatt, and W. A. Rogers, "Potential intrusiveness of aware home technology: Perceptions of older adults," in *Proceedings of Human Factors and Ergonomics Society 48th Annual Meeting*, pp. 266–270, 2004.
- [126] S. L. Minneman and S. R. Harrison, "Where were we: Making and using near-synchronous, pre-narrative video," in *Proceedings of the First ACM International Conference on Multimedia*, pp. 207–214, 1993.
- [127] S. L. Minneman, S. R. Harrison, B. Janssen, G. Kurtenbach, T. P. Moran, I. E. Smith, and W. V. Melle, "A confederation of tools for capturing and accessing collaborative activity," in *Proceedings of the 3rd ACM International Conference on Multimedia*, pp. 523–534, 1995.
- [128] T. P. Moran, W. V. Melle, and P. Chiu, "Spatial interpretation of domain objects integrated into a freeform electronic," in *Proceedings of UIST 1998: The ACM Symposium on User Interface Software and Technology*, pp. 175–184, 1998.
- [129] T. P. Moran, L. Palen, S. Harrison, P. Chiu, D. Kimber, S. Minneman, W. V. Melle, and P. Zellweger, "I'll get that off the audio: A case study of salvaging multimedia meeting records," in *Proceedings of CHI 1997: The ACM Conference on Human Factors in Computing Systems*, pp. 202–209, 1997.
- [130] M. Morris, S. S. Intille, and J. S. Beaudin, "Embedded assessment: Overcoming barriers to early detection with pervasive computing," in *Proceedings of Pervasive 2005: The International Conference on Pervasive Computing*, pp. 333–346, 2005.
- [131] M. Morris, J. Lundell, E. Dishman, and B. Needham, "New perspectives on ubiquitous computing from ethnographic study of elders with cognitive decline," in *Proceedings of Ubicomp 2003: The International Conference on Ubiquitous Computing*, pp. 227–242, 2003.
- [132] S. Mukhopadhyay and B. Smith, "Passive capture and structuring of lectures," in *Proceedings of the 7th ACM International Conference on Multimedia*, pp. 477–487, 1999.

- [133] B. A. Myers, H. Stiel, and R. Gargiulo, "Collaboration using multiple PDAs connected to a PC," in *Proceedings of CSCW 1998: The ACM Conference on Computer Supported Cooperative Work*, pp. 285–294, 1998.
- [134] E. D. Mynatt, T. Igarashi, W. K. Edwards, and A. LaMarca, "Flatland: New dimensions in office whiteboards," in *Proceedings of CHI 1999: The ACM Conference on Human Factors in Computing Systems*, pp. 346–353, 1999.
- [135] National Evaluation Systems, "Advertisement," *Educational Researcher*, vol. 25, no. 8, p. 64, 1996.
- [136] W. Newman and P. Wellner, "A desk supporting computer-based interaction with paper documents," in *Proceedings of CHI 1992: The ACM Conference on Human Factors in Computing Systems*, pp. 587–592, 1992.
- [137] W. M. Newman, M. A. Eldridge, and M. G. Lamming, "PEPYS: Generating autobiographies by automatic tracking," in *Proceedings of the 2nd European Conference on Computer-Supported Cooperative Work*, pp. 175–188, 1991.
- [138] D. H. Nguyen, G. R. Hayes, and A. Kobsa, "An empirical investigation of concerns of everyday tracking and recording technologies," in *Proceedings of Ubicomp 2008: The International Conference on Ubiquitous Computing*, pp. 182–191, 2008.
- [139] E. Ochs, "Transcription as theory," in *Developmental pragmatics*, (E. Ochs and B. B. Schieffelin, eds.), pp. 43–72, Academic Press, 1979.
- [140] C. O’Conaire, N. O’Connor, A. F. Smeaton, and G. Jones, "Organising a daily visual diary using multi-feature clustering," *SPIE Electronic Imaging — Multimedia Content Access: Algorithms and Systems (EI121)*, San Jose, CA, 28 January–1 February, 2007.
- [141] A. W. Pailliotet, "I never saw that before: A deeper view of video analysis in teacher education," *Teacher Educator*, vol. 31, no. 2, pp. 138–56, 1995.
- [142] S. N. Patel and G. D. Abowd, "The contextCam: Automated point of capture video annotation," in *Proceedings Ubicomp 2004: The International Conference on Ubiquitous Computing*, pp. 301–318, 2004.
- [143] S. N. Patel, K. N. Truong, G. R. Hayes, G. Iachello, J. A. Kientz, and G. D. Abowd, "The personal audio loop: A ubiquitous audio-based memory aid," in *Handbook of Research on User Interface Design and Evaluation for Mobile Technology*, (J. Lumsden, ed.), 2007.
- [144] E. R. Pedersen, K. McCall, T. P. Moran, and F. G. Halasz, "Tivoli: An electronic whiteboard for informal workgroup meetings," in *Proceedings of CHI 1993: The ACM Conference on Human Factors in Computing Systems*, pp. 391–398, 1993.
- [145] C. Plaisant, B. Milash, A. Rose, S. Widoff, and B. Shneiderman, "LifeLines: Visualizing personal histories," in *Proceedings of CHI 1996: The ACM Conference on Human Factors in Computing Systems*, pp. 221–227, 1996.
- [146] W. M. Post, M. A. A. Huis in’t Veld, and S. A. A. van den Boogaard, "Evaluating meeting support tools," *Personal and Ubiquitous Computing*, vol. 12, no. 3, pp. 223–235, 2008.
- [147] W. Pratt, K. Unruh, A. Civan, and M. M. Skeels, "Personal health information management," *Communications of the ACM*, vol. 49, no. 1, pp. 51–55, 2006.



## 74 References

- [148] J. Rekimoto, "Time-Machine computing: A time-centric approach for the information environment," in *Proceedings of UIST 1999: The ACM Symposium on User Interface Software and Technology*, pp. 45–54, 1999.
- [149] B. J. Rhodes and T. Starner, "Remembrance agent: A continuously running automated information retrieval system," in *Proceedings of the 1st International Conference on the Practical Application of Intelligent Agents and Multi Agent Technology*, pp. 487–495, 1996.
- [150] H. A. Richter, "Designing and evaluating meeting capture and access services," Ph.D. Dissertation: 194 pages, Georgia Institute of Technology, 2005.
- [151] H. A. Richter, G. D. Abowd, W. Fuchs, S. Daijavad, and S. E. Poltrock, "Integrating meeting capture within a collaborative team environment," in *Proceedings of Ubicomp 2001: The International Conference on Ubiquitous Computing*, pp. 123–138, 2001.
- [152] H. A. Richter, P. Schuchhard, and G. D. Abowd, "Automated capture and retrieval of architectural rationale," Technical Report GIT-GVU-98-37, Georgia Institute of Technology, Atlanta, GA, 1999.
- [153] K. Rodden and K. R. Wood "How do people manage their digital photographs?" in *Proceedings of CHI 2003: The ACM Conference on Human Factors in Computing Systems*, pp. 409–416, 2003.
- [154] B. Rosensteing, "Video use in social science research and program evaluation," *International Journal of Qualitative Methods*, vol. 1, no. 3, p. 2, 2002.
- [155] J. Rowan and E. D. Mynatt, "Digital family portrait field trial: Support for aging in place," in *Proceedings of CHI 2005: The ACM Conference on Human Factors in Computing Systems*, pp. 521–530, 2005.
- [156] R. Sarvas, E. Herrarte, A. Wilhelm, and M. Davis, "Metadata creation system for mobile images," in *Proceedings of the 2nd International Conference on Mobile Systems, Applications, and Services*, pp. 36–48, 2004.
- [157] J. M. Scaife and M. Pomerantz, "A survey of the record-keeping practices of clinical psychologists," *Clinical Psychology and Psychotherapy*, vol. 6, no. 3, pp. 210–226, 1999.
- [158] P. Schafly, "What's wrong with outcome-based education?" *The Phyllis Schafly Report*, vol. 26, no. 10, pp. 1–4, 1993.
- [159] B. N. Schilit, N. Adams, R. Gold, M. M. Tso, and R. Want, "The PARCTAB mobile computing system," in *Proceedings of Workshop on Workstation Operating Systems*, pp. 34–39, 1993.
- [160] B. Schneiderman and H. Kang, "Direct annotation: A drag-and-drop strategy for labeling photos," vol. 4, pp. 88–95, 2000.
- [161] A. Sellen, A. Fogg, S. Hodges, and K. Wood, "Do life-logging technologies support memory for the past? An experimental study using SenseCam," in *Proceedings of CHI 2007: The ACM Conference on Human Factors in Computing Systems*, pp. 81–90, 2007.
- [162] J. Smyth and A. Dow, "What's wrong with outcomes? Spotter planes, action plans and steerage of the educational workplace," *British Journal of Sociology of Education*, vol. 19, no. 3, pp. 291–303, 1998.
- [163] G. D. Spindler and L. S. Spindler, *Fifty Years of Anthropology and Education: 1950–2000*. Lawrence Earlbaum Associates, 2000.

- [164] Q. Stafford-Fraser and P. Robinson, “BrightBoard: A video-augmented environment,” in *Proceedings of CHI 1996: The ACM Conference on Human Factors in Computing Systems*, pp. 134–141, 1996.
- [165] T. Starner, “The virtual patrol: Capturing and accessing information for the soldier in the field,” in *Proceedings of CARPE 2006: The 3rd ACM Workshop on Continuous Archival and Retrieval of Personal Experiences*, p. 2, 2006.
- [166] M. M. Stevens, G. D. Abowd, K. N. Truong, and F. Vollmer, “Getting into the living memory box: Family archives and holistic design,” *Personal Ubiquitous Computing*, vol. 7, no. 3, pp. 210–216, 2003.
- [167] L. J. Stifelman, “The audio notebook,” Ph.D. Dissertation: 150 pages, Massachusetts Institute of Technology, 1997.
- [168] L. J. Stifelman, B. Arons, and C. Schmandt, “The audio notebook: Paper and pen interaction with structured speech,” in *Proceedings of CHI 2001: The ACM Conference on Human Factors in Computing Systems*, pp. 182–189, 2001.
- [169] N. A. Streitz, J. Geißler, J. M. Haake, and J. Hol, “DOLPHIN: Integrated meeting support across local and remote desktop environments and liveboards,” in *Proceedings of CSCW 1994: The ACM Conference on Computer Supported Cooperative Work*, pp. 345–358, 1994.
- [170] Y. Sumi, T. Etani, S. Fels, N. Simonet, and K. Mase, “C-MAP: Building a context-aware mobile assistant for exhibition tours,” in *Community Computing and Support Systems*. LCNS vol. 1519, pp. 137–154, 1998.
- [171] Y. Sumi, R. Sakamoto, K. Nakao, and K. Mase, “ComicDiary: Representing individual experiences in a comics style,” in *Proceedings of Ubicomp 2002: The International Conference on Ubiquitous Computing*, pp. 16–32, 2002.
- [172] D. Tan, A. Sellen, M. Czerwinski, G. Bell, J. Gemmell, K. Wood, G. Robertson, N. Oliver, E. Berry, S. Hodges, and N. Kapur, “Supporting human memory with a personal digital lifetime store,” in *Personal Information Management: Challenges and Opportunities*, (J. Teevan and W. Jones, eds.), University of Washington Press, 2007.
- [173] Q. T. Tran, G. Calcaterra, and E. D. Mynatt, “Cook’s Collage: Déjà vu Display for a Home Kitchen,” in *Proceedings of HOIT 2005 (Home Oriented Informatics and Telematics)*, pp. 5–32, 2005.
- [174] Q. T. Tran and E. D. Mynatt, “What was I cooking? Towards Déjà Vu displays of everyday memory,” Technical Report, GIT-GVU-03-33: Georgia Institute of Technology, Atlanta, GA, 2003.
- [175] K. N. Truong and G. D. Abowd, “INCA: A software infrastructure to facilitate the construction and evolution of ubiquitous capture and access applications,” in *Proceedings Pervasive 2004: The International Conference on Pervasive Computing*, pp. 140–157, 2004.
- [176] K. N. Truong, G. D. Abowd, and J. A. Brotherton, “Personalizing the capture of public experiences,” in *Proceedings of UIST 1999: The ACM Symposium on User Interface Software and Technology*, pp. 121–130, 1999.
- [177] K. N. Truong, G. D. Abowd, and J. A. Brotherton, “Who, what, when, where, how: Design issues of capture and access applications,” in *Proceedings*



## 76 References

- of *Ubicomp 2001: The International Conference on Ubiquitous Computing*, pp. 209–224, 2001.
- [178] K. N. Truong, E. M. Huang, and G. D. Abowd, “CAMP: A magnetic poetry interface for end-user programming of capture applications for the home,” in *Proceedings of Ubicomp 2004: The International Conference on Ubiquitous Computing*, pp. 143–160, 2004.
- [179] K. N. Truong, S. N. Patel, J. W. Summet, and G. D. Abowd, “Preventing camera recording by designing a capture-resistant environment,” in *Proceedings of Ubicomp 2005: The International Conference on Ubiquitous Computing*, pp. 73–86, 2005.
- [180] S. Uchihashi, J. Foote, A. Girgensohn, and J. Boreczky, “Video manga: Generating semantically meaningful video summaries,” in *Proceedings of the 7th ACM International Conference on Multimedia*, pp. 383–392, 1999.
- [181] M. Van Kleek, M. Bernstein, D. R. Karger, and M. C. Schraefel, “GUI — Phooey!: The case for text input,” in *Proceedings of UIST 2007: The ACM Symposium on User Interface Software and Technology*, pp. 193–202, 2007.
- [182] S. Vemuri, C. Schmandt, W. Bender, S. Tellex, and B. Lassey, “An audio-based personal memory aid,” in *Proceedings of Ubicomp 2004: The International Conference on Ubiquitous Computing*, pp. 400–417, 2004.
- [183] T. Walmsley and S. Neilsen, The VIDEOSHARE project. Missoula, Montana, USA: Montana University Division of Educational Research and Services, 1991.
- [184] R. Want, A. Hopper, V. Falcão, and J. Gibbons, “The active badge location system,” *ACM Transactions on Information Systems*, vol. 10, no. 1, pp. 91–102, 1992.
- [185] R. Want, T. Pering, G. Danneels, M. Kumar, M. Sundar, and J. Light, “The personal server: Changing the way we think about ubiquitous computing,” in *Proceedings of Ubicomp 2002: The International Conference on Ubiquitous Computing*, pp. 194–209, 2002.
- [186] M. Weiser, “The Computer for the 21st Century,” *Scientific American*, vol. 265, no. 30, pp. 94–104, 1991.
- [187] D. R. White, J. A. Camacho-Guerrero, K. N. Truong, G. D. Abowd, M. J. Morrier, P. C. Vekaria, and D. Gromala, “Mobile capture and access for assessing language and social development in children with autism,” in *Extended Abstracts of Ubicomp 2003: The International Conference on Ubiquitous Computing*, pp. 137–140, 2003.
- [188] S. Whittaker, P. Hyland, and M. Wiley, “FILOCHAT: Handwritten notes provide access to recorded conversations,” in *Proceedings of CHI 1994: The ACM Conference on Human Factors in Computing Systems*, pp. 271–276, 1994.
- [189] S. Whittaker, S. Tucker, K. Swampilla, and R. Laban, “Design and evaluation of systems to support interaction capture and retrieval,” *Personal and Ubiquitous Computing*, vol. 12, no. 3, pp. 197–221, 2008.
- [190] L. D. Wilcox, B. N. Schilit, and N. Sawhney, “Dynamite: A dynamically organized ink and audio notebook,” in *Proceedings of CHI 1997: The ACM Conference on Human Factors in Computing Systems*, pp. 186–193, 1997.

- [191] W. Xu, Y. Chen, H. Sundaram, and T. Rikakis, "Multimodal archiving, real-time annotation and information visualization in a biofeedback system for stroke patient rehabilitation," in *Proceedings of CARPE 2006: The Third ACM Workshop on Continuous Archival and Retrieval of Personal Experiences*, pp. 3–12, 2006.
- [192] E. Yakel, "The social construction of accountability: Radiologists and their record-keeping practices," *The Information Society*, vol. 17, no. 4, pp. 233–245, 2001.
- [193] R. Yeh, C. Liao, S. Klemmer, F. Guimbretière, B. Lee, B. Kakaradov, J. Stamberger, and A. Paepcke, "ButterflyNet: A mobile capture and access system for field biology research," in *Proceedings of CHI 2006: The ACM Conference on Human Factors in Computing Systems*, pp. 571–580, 2006.