

A Survey of Methods for Safe Human-Robot Interaction

Przemyslaw A. Lasota

Massachusetts Institute of Technology,
USA
plasota@mit.edu

Terrence Fong

NASA Ames Research Center,
USA
terry.fong@nasa.gov

Julie A. Shah

Massachusetts Institute of Technology,
USA
julie_a_shah@csail.mit.edu

now

the essence of knowledge

Boston — Delft

Foundations and Trends[®] in Robotics

Published, sold and distributed by:

now Publishers Inc.
PO Box 1024
Hanover, MA 02339
United States
Tel. +1-781-985-4510
www.nowpublishers.com
sales@nowpublishers.com

Outside North America:

now Publishers Inc.
PO Box 179
2600 AD Delft
The Netherlands
Tel. +31-6-51115274

The preferred citation for this publication is

P. A. Lasota, T. Fong and J. A. Shah. *A Survey of Methods for Safe Human-Robot Interaction*. Foundations and Trends[®] in Robotics, vol. 5, no. 4, pp. 261–349, 2014.

This Foundations and Trends[®] issue was typeset in L^AT_EX using a class file designed by Neal Parikh. Printed on acid-free paper.

ISBN: 978-1-68083-278-5

© 2017 P. A. Lasota, T. Fong and J. A. Shah

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, mechanical, photocopying, recording or otherwise, without prior written permission of the publishers.

Photocopying. In the USA: This journal is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by now Publishers Inc for users registered with the Copyright Clearance Center (CCC). The 'services' for users can be found on the internet at: www.copyright.com

For those organizations that have been granted a photocopy license, a separate system of payment has been arranged. Authorization does not extend to other kinds of copying, such as that for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. In the rest of the world: Permission to photocopy must be obtained from the copyright owner. Please apply to now Publishers Inc., PO Box 1024, Hanover, MA 02339, USA; Tel. +1 781 871 0245; www.nowpublishers.com; sales@nowpublishers.com

now Publishers Inc. has an exclusive license to publish this material worldwide. Permission to use this content must be obtained from the copyright license holder. Please apply to now Publishers, PO Box 179, 2600 AD Delft, The Netherlands, www.nowpublishers.com; e-mail: sales@nowpublishers.com

Foundations and Trends[®] in Robotics
Volume 5, Issue 4, 2014
Editorial Board

Editors-in-Chief

Henrik Christensen
Georgia Institute of Technology
United States

Roland Siegwart
ETH Zurich
Switzerland

Editors

Minoru Asada
Osaka University

Antonio Bicchi
University of Pisa

Aude Billard
EPFL

Cynthia Breazeal
MIT

Oliver Brock
TU Berlin

Wolfram Burgard
University of Freiburg

Udo Frese
University of Bremen

Ken Goldberg
UC Berkeley

Hiroshi Ishiguro
Osaka University

Makoto Kaneko
Osaka University

Danica Kragic
KTH Stockholm

Vijay Kumar
University of Pennsylvania

Simon Lacroix
Local Area Augmentation System

Christian Laugier
INRIA

Steve LaValle
UIUC

Yoshihiko Nakamura
University of Tokyo

Brad Nelson
ETH Zurich

Paul Newman
Oxford University

Daniela Rus
MIT

Giulio Sandini
University of Genova

Sebastian Thrun
Stanford University

Manuela Veloso
Carnegie Mellon University

Markus Vincze
Vienna University

Alex Zelinsky
CSIRO

Editorial Scope

Topics

Foundations and Trends[®] in Robotics publishes survey and tutorial articles in the following topics:

- Mathematical modelling
- Kinematics
- Dynamics
- Estimation methods
- Artificial intelligence in robotics
- Software systems and architectures
- Sensors and estimation
- Planning and control
- Human-robot interaction
- Industrial robotics
- Service robotics

Information for Librarians

Foundations and Trends[®] in Robotics, 2014, Volume 5, 4 issues. ISSN paper version 1935-8253. ISSN online version 1935-8261. Also available as a combined paper and online subscription.

A Survey of Methods for Safe Human-Robot Interaction

Przemyslaw A. Lasota
Massachusetts Institute of Technology,
USA
plasota@mit.edu

Terrence Fong
NASA Ames Research Center,
USA
terry.fong@nasa.gov

Julie A. Shah
Massachusetts Institute of Technology,
USA
julie_a_shah@csail.mit.edu

Contents

1	Introduction	2
1.1	Defining Safety in HRI	3
1.2	Safety Standards and Criteria	4
1.3	Goals and Scope	5
2	Safety Through Control	10
2.1	Pre-Collision Methods	11
2.2	Post-Collision Methods	17
2.3	Summary	22
3	Safety Through Motion Planning	24
3.1	Constraints Based on Human Presence	26
3.2	Geometric and Task-Based Constraints	28
3.3	Summary	31
4	Safety Through Prediction	33
4.1	Human Activity Prediction	33
4.2	Human Motion Prediction	40
4.3	Prediction of Robot Motions and Actions	46
4.4	Summary	52

5	Safety Through Consideration of Psychological Factors	54
5.1	Robot Behavior Adaptation	56
5.2	Assessment of Psychological Safety	61
5.3	Summary	65
6	Future Directions	67
6.1	Expanding Post-Collision Control Methods	67
6.2	Extending Safe Motion Planning	69
6.3	Improving Safety Through Prediction	71
6.4	Expanding Psychological Safety Considerations	72
6.5	Integration of Safety Methods	73
7	Conclusion	75
	Acknowledgements	77
	References	78

Abstract

Ensuring human safety is one of the most important considerations within the field of human-robot interaction (HRI). This does not simply involve preventing collisions between humans and robots operating within a shared space; we must consider all possible ways in which harm could come to a person, ranging from physical contact to adverse psychological effects resulting from unpleasant or dangerous interaction. In this work, we define what safe HRI entails and present a survey of potential methods of ensuring safety during HRI. We classify this collection of work into four major categories: safety through control, motion planning, prediction, and consideration of psychological factors. We discuss recent work in each major category, identify various sub-categories and discuss how these methods can be utilized to improve HRI safety. We then discuss gaps in the current literature and suggest future directions for additional work. By creating an organized categorization of the field, we hope to support future research and the development of new technologies for safe HRI, as well as facilitate the use of these techniques by researchers within the HRI community.

1

Introduction

Human-robot interaction — collaboration, communication, and cooperation between humans and robots — is a rapidly growing area of robotics research. From introducing robotic co-workers into factories (Unhelkar et al., 2014; Gleeson et al., 2013; Knight, 2013), to providing in-home robot helpers (Graf et al., 2004), to developing robotic assistants for astronauts on-board the International Space Station (ISS) (Fong et al., 2013; Diftler et al., 2011; Bualat et al., 2015), there are a wide variety of beneficial applications for HRI. Whether this interaction involves an industrial robot, mobile manipulator, free-flyer, or even a self-driving car or wheelchair, one should always approach the development of HRI platforms and technologies from a safety-focused perspective. The successful advancement of HRI depends upon safety being a top priority and an integral component of any HRI application. In order to understand how to tackle the challenging problem of ensuring safety in HRI, it is necessary to clearly define what safe HRI entails and what has been accomplished thus far in terms of standardizing safety metrics and methods, and survey the current literature to identify areas that warrant further research and development.

1.1 Defining Safety in HRI

In order to ensure safe HRI, it is necessary to first understand what constitutes safety and its various components. In 1942, science fiction writer Isaac Asimov proposed three “Laws of Robotics,” the first of which states: “A robot may not injure a human being or, through inaction, allow a human being to come to harm” (Asimov, 1942). Inspired by Asimov’s definition, we can identify two distinct ways in which a robot could inflict harm on a human being.

The first is through direct physical contact. In simple terms, in order for HRI to be safe, no unintentional or unwanted contact can occur between the human and robot. Furthermore, if physical contact is required for a given task (or strict prevention of physical contact is neither possible nor practical) the forces exerted upon the human must remain below thresholds for physical discomfort or injury. We define this form of safety in HRI as **physical safety**.

Preventing physical harm alone, however, does not necessarily translate to stress-free and comfortable interaction. Consider, for example, a hypothetical manufacturing scenario in which a robot uses a sharp cutting implement to perform a task in proximity to human workers, but is programmed to stop if a human gets too close. While direct physical harm is prevented through careful programming, this type of interaction can be stressful for humans. Importantly, psychological discomfort or stress can also be induced by a robot’s appearance, embodiment, gaze, speech, posture, and other attributes (Mumm and Mutlu, 2011; Butler and Agah, 2001).

Stress can have serious negative effects on health (McEwen, 1993), which makes stressful HRI a potential source of harm. Furthermore, psychological discomfort caused by any of the other aforementioned factors, as well as robotic violation of social conventions and norms during interaction, can also have serious negative effects on humans over time. We define the prevention of this type of indirect, psychological harm as maintaining **psychological safety**. It is important to note that psychological harm, in contrast with physical harm, is not limited to proximal interaction, as it can also be sustained through distal interaction via a remote interface.

As HRI can be applied in a multitude of domains, we apply a broad definition of the term “robot” in the context of this work. Although the individual works described in this survey are generally presented in the context of interaction with one type of robot in a specific domain, the methods for safety in HRI we present in the following sections are domain independent and relevant to a wide array of robot types, such as manipulator arms, drones, personal robots, and self-driving cars.

1.2 Safety Standards and Criteria

The development of guidelines and requirements in the form of international safety standards represents an important effort toward ensuring safety during human-robot interaction. The International Organization for Standardization (ISO) has been working toward releasing documents that specify how best to maintain safety during interaction between humans and industrial robots. The first step in this process was the release of the ISO 10218 document entitled “Robots and robotic devices – Safety requirements for industrial robots,” which is composed of two parts: “Robots” and “Robot systems and integration” (International Organization for Standardization, 2011a,b). The ISO 10218 outlines some potential methods of safe collaborative manipulation — for example, *speed and separation monitoring* and *power and force limiting* — as well as relevant safety requirements.

The technical specification accompanying this document is the ISO/TS 15066 (entitled “Robots and robotic devices – Collaborative robots”) (International Organization for Standardization, 2016). This technical specification provides additional information and details about how to achieve the requirements established by ISO 10218. It includes quantitative biomechanical limits, such as allowable peak forces or pressures for various parts of the body, as well as equations for speed and separation monitoring. In support of the development of the ISO technical specification, organizations including the National Institute of Standards and Technology (NIST) collaborated with ISO to develop protocols and metrics that would allow for characterization of the effectiveness of a robot’s safety methods (National Institute of Standards and Technology, 2013).

The safety criteria mentioned above were developed in part through study of human-robot collisions. Recent experiments have incorporated collisions between robots and instrumented crash-test dummies, both in simulation (Oberer and Schraft, 2007) and using actual physical hardware (Haddadin et al., 2007, 2009). Other research has incorporated crash tests involving simulated human tissue, such as abdominal samples collected from pigs (Haddadin et al., 2012). Work with actual human-robot collisions has also been conducted to classify pain (Povse et al., 2010) and injury thresholds (Fraunhofer IFF, 2013), as well as to investigate the effectiveness of control strategies (Haddadin et al., 2008). Various injury prevention criteria for HRI have resulted from these works (Jung-Jun Park and Jae-Bok Song, 2009; Oberer and Schraft, 2007; Haddadin et al., 2012). Importantly, the findings are discussed in relation to the ISO standard regulations, providing feedback for their further refinement and improvement. (Haddadin (2013) have presented a detailed discussion of the limitations of the current standards and proposed improvements.) By combining the efforts of academic and industrial research groups and standardization organizations, more suitable and relevant standards and metrics can be developed and introduced in subsequent revisions of the ISO standards.

While the development of the aforementioned international safety standards represents a crucial first step toward improving HRI safety, it is important to note that these standards are being developed specifically for industrial applications. Although many of the principles would likely transfer to other types of robots and applications, the standards' scope is too narrow to fully address other uses, such as robotic tour guides or assistants for the elderly. We therefore must look beyond these industrial standards in order to identify all the pertinent aspects of safe HRI and the various possible safety methods that could be employed to address them.

1.3 Goals and Scope

The main goal of this work is to organize and summarize the large body of research related to facilitation of safe human-robot interaction. This survey describes the strategies and methods that have been developed

thus far, organizes them into subcategories, characterizes relationships between the strategies, and identifies potential gaps in the existing knowledge that warrant further research.

1.3.1 Method

As there is a vast amount of work that could be applied to safe HRI, it was imperative to select a cohesive and meaningful subset of research. We conducted a survey to identify the various *methods* that could be utilized to make HRI safe. This is in contrast to other work, such as that of Vasic and Billard (2013), who partially outlined these possibilities but organized the paper according to application and focused on other aspects of safety, such as potential sources of danger and liability.

Also, we chose to focus our survey on recent research. A survey on safety in HRI by Pervez and Ryu (2008) covered much of the earlier work conducted within the field; this review mostly discusses research that had been published since that survey. Additionally, our survey focuses on the safety aspects of proximal HRI, and so we do not consider, for example, safety concerns during remote operation. Furthermore, we chose to focus this survey on interaction with robots acting as independent entities, and so we do not consider the regime of interaction with wearable robots, such as exoskeletons or orthotics. (We direct the reader interested in the latter topic to recent works in both industrial and medical applications (Kolakowsky-Hayner et al., 2013; O’Sullivan et al., 2015; Zeilig et al., 2012).) This survey also does not focus on the psychological safety aspects of interacting with social robots and the potential impact such robots can have when emulating human personality traits or social behaviors. (The reader interested in these aspects should consult works relating social psychology to robotics, such as papers by Young et al. (2008) and Fong et al. (2003).)

For the present work, we chose not to focus on robot hardware development as a potential method of ensuring safety in HRI. In recent years, robotics manufacturers have become increasingly involved in the development of robots designed specifically for proximal HRI. (Examples of such robots include the ABB YuMi (ABB, 2015), the RethinkRobotics Baxter and Sawyer (Robotics, 2015a,b), and the KUKA LBR (KUKA,

2015).) There has also been a significant amount of work in hardware development for safe HRI within the academic community, and the technologies used by these new robots are often a product of this research. This includes work on new actuators designed to be human-safe, such as series elastic actuators (SEA) (Pratt and Williamson, 1995), variable impedance actuators (VIA) (Vanderborght et al., 2013), distributed macro-mini actuation (Zinn et al., 2004), or external hardware, such as robot skins (Hoshi and Shinoda, 2006). (We direct the reader interested in compliant actuator designs to the review by Ham et al. (2009).)

Defining the scope of our work as outlined above, our selection process focused on papers published between 2008 and 2015 from the conference proceedings of the ACM/IEEE International Conference on Human-robot Interaction (HRI), IEEE International Conference on Robotics and Automation (ICRA), Robotics: Science and Systems (RSS), the IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS), the IEEE RAS/EMBS International Conference on Biomedical Robotics and Biomechatronics (BioRob), and the International Conference on Advanced Robotics (ICAR), as well as journal articles published in the *International Journal of Robotics Research* (IJRR), the *Journal of Mechanical Science and Technology* (JMST), the *IEEE Transactions on Robotics* (T-RO), the *IEEE Transactions on Automation Science and Engineering* (T-ASE), and the *Journal of Robotic Systems*.

We first grouped papers according to theme; common keywords among papers within each theme were then used as further search criteria. We focused our final selection on publications with higher impact factors and according to the selectivity of the publication venue. We relaxed these constraints if a topic associated with a keyword was underrepresented or the work was published within the last 3 years. We also recursively investigated works cited by the collected papers to identify additional potential sources. The resulting collection was then organized into the following main themes: safety through control, planning, prediction, and consideration of psychological factors, as depicted in Figure 1.1.




Figure 1.1: Diagram depicting the major methods of providing safety in HRI.

1.3.2 Organization

The remainder of this monograph is divided into sections based on the four main aspects of safety in HRI depicted in Figure 1.1. Each section describes, in detail, a selection of recent related works, synthesizes these works into various sub-topics, and outlines the relationships between them.

In Section 2: Safety Through Control, we describe pre- and post-collision control methods for providing safe HRI. The former category deals with control methods prior to contact between a human and robot. This involves limiting key parameters, such as velocity or energy, or preventing collisions from occurring through the use of methods including defining safety regions, tracking separation distance, and guiding robot motion away from humans. The post-collision sub-category involves techniques such as minimizing injury by switching between various control methods when a collision is detected, distinguishing

between intentional and non-intentional contact, and allowing for safe physical contact if necessary for effective collaboration.

In Section 3: *Safety Through Motion Planning*, we highlight work focused on planning safer robot paths and motions in order to avoid potential collisions. By taking various human-related parameters such as separation distance or gaze direction directly into account when forming motion plans, a robot is able to choose safer and more efficient paths and motions.

In Section 4: *Safety Through Prediction*, we discuss the various ways that human and robot behavior prediction can allow for safer HRI. This involves predicting human actions and motions through a variety of methods, including sequence matching, probabilistic plan recognition, and motion characteristic analysis. Also, as HRI is inherently a two-way interaction, it is also important to consider the predictability of the robot in order to allow the human to anticipate the robot's motions and actions.

In Section 5: *Safety Through Consideration of Psychological Factors*, we focus on methods of assessing and maintaining psychological safety during HRI. As mentioned in Section 1.1, psychological safety maintenance involves ensuring that interaction remains stress-free and comfortable. Work in this field has included the development of metrics through physiological sensing, questionnaires, and behavioral metrics and identifying which factors — such as a robot's size and speed or a human's prior experience with robots — can affect perceived safety and comfort.

Finally, in Section 6: we discuss possible future directions for research that would benefit the field of HRI safety. We draw upon lessons learned from prior work, identify gaps in various research subcategories, and offer specific suggestions for what could be investigated further in order to address these gaps.

References

- AO Foundation - transforming surgery - changing lives. AO Foundation, <https://www.aofoundation.org>, 2015.
- ABB. Yumi - creating an automated future together. ABB, <http://new.abb.com/products/robotics/yumi>, 2015.
- W. Albert and T. Tullis. *Measuring the User Experience: Collecting, Analyzing, and Presenting Usability Metrics*. Interactive Technologies. Elsevier Science, 2013.
- T. Arai, R. Kato, and M. Fujita. Assessment of operator stress induced by robot collaboration in assembly. *CIRP Annals - Manufacturing Technology*, 59(1):5–8, January 2010.
- I. Asimov. Runaround. In *Astounding Science Fiction*. 1942.
- J. Azorin-Lopez, M. Saval-Calvo, A. Fuster-Guillo, and A. Oliver-Albert. A predictive model for recognizing human behaviour based on trajectory representation. In *2014 International Joint Conference on Neural Networks (IJCNN)*, pages 1494–1501. IEEE, July 2014.
- G. Balakrishnan, F. Durand, and J. Gutttag. Detecting Pulse from Head Motions in Video. In *Proceedings of Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 3430–3437. IEEE, June 2013.
- C. Bartneck, D. Kulić, E. Croft, and S. Zoghbi. Measurement Instruments for the Anthropomorphism, Animacy, Likeability, Perceived Intelligence, and Perceived Safety of Robots. *International Journal of Social Robotics*, 1(1): 71–81, November 2008.
- G. Bell, A. Parisi, and M. Pesce. The virtual reality modeling language. 1995.

- M. Bennewitz, W. Burgard, G. Cielniak, and S. Thrun. Learning Motion Patterns of People for Compliant Robot Motion. *The International Journal of Robotics Research*, 24(1):31–48, January 2005.
- X. Broquere, D. Sidobre, and I. Herrera-Aguilar. Soft motion trajectory planner for service manipulator robot. In *Proceedings of IROS*, pages 2808–2813. IEEE, September 2008.
- M. Bualat, J. Barlow, T. Fong, C. Provencher, T. Smith, and A. Zuniga. Astrobe: Developing a free-flying robot for the international space station. In *AIAA SPACE 2015 Conference and Exposition*, page 4643, 2015.
- G. Buizza Avanzini, N. M. Ceriani, A. M. Zanchettin, P. Rocco, and L. Bascetta. Safety Control of Industrial Robots Based on a Distributed Distance Sensor. *IEEE Transactions on Control Systems Technology*, 22(6):2127–2140, November 2014.
- J. T. Butler and A. Agah. Psychological Effects of Behavior Patterns of a Mobile Personal Robot. *Autonomous Robots*, 10(2):185–202, 2001.
- S. Calinon, I. Sardellitti, and D. G. Caldwell. Learning-based control strategy for safe human-robot interaction exploiting task and robot redundancies. In *Proceedings of IROS*, pages 249–254. IEEE, October 2010.
- S. Cambon, R. Alami, and F. Gravot. A Hybrid Approach to Intricate Motion, Manipulation and Task Planning. *The International Journal of Robotics Research*, 28(1):104–126, January 2009.
- D. B. Chaffin and J. J. Faraway. Stature, age and gender effects on reach motion postures. *Human Factors*, pages 408–420, 2000.
- A. De Luca and F. Flacco. Integrated control for pHRI: Collision avoidance, detection, reaction and collaboration. In *Proceedings of BioRob*, pages 288–295. IEEE, June 2012.
- A. De Luca, A. Albu-Schäffer, S. Haddadin, and G. Hirzinger. Collision detection and safe reaction with the DLR-III lightweight manipulator arm. In *Proceedings of IROS*, pages 1623–1630, 2006.
- A. De Luca, F. Flacco, A. Bicchi, and R. Schiavi. Nonlinear decoupled motion-stiffness control and collision detection/reaction for the VSA-II variable stiffness device. In *Proceedings of IROS*, pages 5487–5494. IEEE, October 2009.
- F. Dehais, E. A. Sisbot, R. Alami, and M. Causse. Physiological and subjective evaluation of a human-robot object hand-over task. *Applied ergonomics*, 42(6):785–91, November 2011.

- M. Diftler, J. Mehling, M. Abdallah, N. Radford, L. Bridgwater, A. Sanders, R. Askew, D. Linn, J. Yamokoski, F. Permenter, B. Hargrave, R. Piatt, R. Savely, and R. Ambrose. Robonaut 2 - the first humanoid robot in space. In *Proceedings of ICRA*, pages 2178–2183, May 2011.
- P. F. Dominey, G. Metta, F. Nori, and L. Natale. Anticipation and initiative in human-humanoid interaction. In *Proceedings of International Conference on Humanoid Robots (Humanoids)*, pages 693–699. IEEE-RAS, 2008.
- A. D. Dragan, K. C. Lee, and S. S. Srinivasa. Legibility and predictability of robot motion. In *Proceedings of HRI*, pages 301–308, 2013.
- A. D. Dragan, S. Bauman, J. Forlizzi, and S. S. Srinivasa. Effects of Robot Motion on Human-Robot Collaboration. In *Proceedings of HRI*, pages 51–58, 2015.
- J. Elfring, R. van de Molengraft, and M. Steinbuch. Learning intentions for improved human motion prediction. *Robotics and Autonomous Systems*, 62(4):591–602, April 2014.
- Emotiv. Emotiv insight: The next generation brainwear. Emotiv, <https://emotiv.com/insight.php>, 2014.
- E. Erdem, K. Haspalamutgil, C. Palaz, V. Patoglu, and T. Uras. Combining high-level causal reasoning with low-level geometric reasoning and motion planning for robotic manipulation. In *Proceedings of ICRA*, pages 4575–4581. IEEE, May 2011.
- M. Erden and T. Tomiyama. Human-Intent Detection and Physically Interactive Control of a Robot Without Force Sensors. *IEEE Transactions on Robotics*, 26(2):370–382, April 2010.
- D. Feil-Seifer and M. Matarić. People-aware navigation for goal-oriented behavior involving a human partner. In *Proceedings of International Conference on Development and Learning*. IEEE, 2011.
- D. Feil-Seifer and M. Matarić. Distance-Based Computational Models for Facilitating Robot Interaction with Children. *Journal of Human-Robot Interaction*, 1(1), 2012.
- R. E. Fikes and N. J. Nilsson. Strips: A new approach to the application of theorem proving to problem solving. *Artificial Intelligence*, 2(3-4):189–208, December 1971.
- K. Fischer, L. C. Jensen, and L. Bodenhagen. To Beep or Not to Beep Is Not the Whole Question. In *Proceedings of International Conference on Social Robotics (ICSR)*. Springer International Publishing, 2014.

- F. Flacco, T. Kroger, A. De Luca, and O. Khatib. A depth space approach to human-robot collision avoidance. In *Proceedings of ICRA*, pages 338–345. IEEE, May 2012.
- T. Fong, I. Nourbakhsh, and K. Dautenhahn. A survey of socially interactive robots. *Robotics and Autonomous Systems*, 42(3-4):143–166, March 2003.
- T. Fong, M. Micire, T. Morse, E. Park, C. Provencher, V. To, D. Wheeler, D. Mittman, R. J. Torres, and E. Smith. Smart spheres: a telerobotic free-flyer for intravehicular activities in space. In *Proceedings AIAA Space*, volume 13, 2013.
- Fraunhofer IFF. Determination of verified thresholds for safe human-robot collaboration. Fraunhofer Institute for Factory Operation and Automation IFF, <http://iff.fraunhofer.de>, 2013.
- M. Geravand, F. Flacco, and A. De Luca. Human-robot physical interaction and collaboration using an industrial robot with a closed control architecture. In *Proceedings of ICRA*, pages 4000–4007, 2013.
- B. Gleeson, K. MacLean, A. Haddadi, E. Croft, and J. Alcazar. Gestures for industry: Intuitive human-robot communication from human observation. In *Proceedings of HRI*, pages 349–356. IEEE Press, 2013.
- S. Golz, C. Osendorfer, and S. Haddadin. Using tactile sensation for learning contact knowledge: Discriminate collision from physical interaction. In *Proceedings of ICRA*, pages 3788–3794, 2015.
- B. Graf, M. Hans, and R. D. Schraft. Care-o-bot ii—development of a next generation robotic home assistant. *Autonomous robots*, 16(2):193–205, 2004.
- S. Haddadin, A. Albu-Schäffer, and G. Hirzinger. Soft-tissue injury in robotics. In *Proceedings of ICRA*, pages 3426–3433, May 2010a.
- S. Haddadin, H. Urbanek, S. Parusel, D. Burschka, J. Rossmann, A. Albu-Schäffer, and G. Hirzinger. Real-time reactive motion generation based on variable attractor dynamics and shaped velocities. In *Proceedings of IROS*, pages 3109–3116. IEEE, October 2010b.
- S. Haddadin, A. Khoury, T. Rokahr, S. Parusel, R. Burgkart, A. Bicchi, and A. Albu-Schäffer. On making robots understand safety: Embedding injury knowledge into control. *International Journal of Robotics Research*, 31(13):1578–1602, November 2012.
- S. Haddadin. *Towards safe robots: approaching Asimov’s 1st law*, volume 90. Springer, 2013.
- S. Haddadin, A. Albu-Schäffer, and G. Hirzinger. Safety evaluation of physical human-robot interaction via crash-testing. In *Proceedings of RSS*, pages 217–224, 2007.

- S. Haddadin, A. Albu-Schäffer, A. De Luca, and G. Hirzinger. Collision detection and reaction: A contribution to safe physical Human-Robot Interaction. In *Proceedings of IROS*, pages 3356–3363. IEEE, September 2008.
- S. Haddadin, A. Albu-Schäffer, and G. Hirzinger. Requirements for Safe Robots: Measurements, Analysis and New Insights. *International Journal of Robotics Research*, 28:1507–1527, 2009.
- E. T. Hall. *The Hidden Dimension*. Doubleday, 1966.
- V. R. Ham, T. G. Sugar, B. Vanderborght, K. W. Hollander, and D. Lefeber. Compliant actuator designs: Review of actuators with passive adjustable compliance/controllable stiffness for robotic applications. *IEEE Robotics and Automation Magazine*, 16:81–94, 2009.
- K. P. Hawkins, N. Vo, S. Bansal, and A. F. Bobic. Probabilistic Human Action Prediction and Wait-sensitive Planning for Responsive Human-robot Collaboration. In *Proceedings of International Conference on Humanoid Robots (Humanoids)*. IEEE-RAS, 2013.
- K. P. Hawkins, S. Bansal, N. N. Vo, and A. F. Bobick. Anticipating human actions for collaboration in the presence of task and sensor uncertainty. In *Proceedings of ICRA*, pages 2215–2222. IEEE, May 2014.
- J. Heinzmann and A. Zelinsky. Quantitative Safety Guarantees for Physical Human-Robot Interaction. *International Journal of Robotics Research*, 22: 479–504, 2003.
- G. Hoffman and C. Breazeal. Cost-based anticipatory action selection for human-robot fluency. In *IEEE Transactions on Robotics*, volume 23, pages 952–961, 2007.
- T. Hoshi and H. Shinoda. Robot skin based on touch-area-sensitive tactile element. In *Proceedings of ICRA*, pages 3463–3468. IEEE, 2006.
- C.-M. Huang, M. Cakmak, and B. Mutlu. Adaptive Coordination Strategies for Human-Robot Handovers, 2015.
- International Organization for Standardization. ISO 10218-1:2011 Robots and robotic devices – Safety requirements for industrial robots – Part 1: Robots. International Organization for Standardization, <http://www.iso.org>, 2011a.
- International Organization for Standardization. ISO 10218-2:2011 Robots and robotic devices – Safety requirements for industrial robots – Part 2: Robot systems and integration. International Organization for Standardization, <http://www.iso.org>, 2011b.

- International Organization for Standardization. ISO 15066 Robots and robotic devices – Collaborative robots. International Organization for Standardization, <http://www.iso.org>, 2016.
- Y. Jiang and A. Saxena. Modeling High-Dimensional Humans for Activity Anticipation using Gaussian Process Latent CRFs. In *Proceedings of RSS*, 2014.
- M. Joosse, A. Sardar, M. Lohse, and V. Evers. BEHAVE-II: The Revised Set of Measures to Assess User’s Attitudinal and Behavioral Responses to a Social Robot. *International Journal of Social Robotics*, 5(3):379–388, June 2013.
- M. P. Joosse, R. W. Poppe, M. Lohse, and V. Evers. Cultural differences in how an engagement-seeking robot should approach a group of people. In *Proceedings of International Conference on Collaboration Across Boundaries: Culture, Distance & Technology (CABS)*, pages 121–130. ACM Press, August 2014.
- Jung-Jun Park and Jae-Bok Song. Collision analysis and evaluation of collision safety for service robots working in human environments. In *Proceedings of International Conference on Advanced Robotics*, pages 1–6, 2009.
- L. P. Kaelbling and T. Lozano-Perez. Hierarchical task and motion planning in the now. In *Proceedings of ICRA*, pages 1470–1477. IEEE, May 2011.
- S. G. Khan, G. Herrmann, M. Al Grafi, T. Pipe, and C. Melhuish. Compliance Control and Human-Robot Interaction: Part 1 - Survey. *International Journal of Humanoid Robotics*, 11(03):1430001, September 2014.
- O. Khatib. Real-Time Obstacle Avoidance for Manipulators and Mobile Robots. *International Journal of Robotics Research*, 5(1):90–98, March 1986.
- Y. Kim and B. Mutlu. How social distance shapes human-robot interaction. *International Journal of Human Computer Studies*, 72(12):783–795, 2014.
- R. Kirby, R. Simmons, and J. Forlizzi. COMPANION: A Constraint-Optimizing Method for Person-Acceptable Navigation. In *Proceedings of International Symposium on Robot and Human Interactive Communication (RO-MAN)*, pages 607–612. IEEE, September 2009.
- W. Knight. Smart robots can now work right next to auto workers. *MIT Technology Review*, 17, 2013.
- K. L. Koay, K. Dautenhahn, S. N. Woods, and M. L. Walters. Empirical results from using a comfort level device in human-robot interaction studies. In *Proceedings of HRI*, page 194. ACM Press, March 2006.

- S. Kock, J. Bredahl, P. J. Eriksson, M. Myhr, and K. Behnisch. Taming the robot Better safety without higher fences. *ABB Review*, pages 11–14, April 2006.
- S. A. Kolakowsky-Hayner, J. Crew, S. Moran, and A. Shah. Safety and Feasibility of using the EksoTM Bionic Exoskeleton to Aid Ambulation after Spinal Cord Injury. *Journal of Spine*, 2013(2):S4–003, 2013.
- H. Koppula and A. Saxena. Learning Spatio-Temporal Structure from RGB-D Videos for Human Activity Detection and Anticipation. In *Proceedings of International Conference on Machine Learning (ICML)*, pages 792–800, 2013a.
- H. S. Koppula and A. Saxena. Anticipating Human Activities using Object Affordances for Reactive Robotic Response. In *Proceedings of RSS*, 2013b.
- M. Kuderer, H. Kretzschmar, C. Sprunk, and W. Burgard. Feature-Based Prediction of Trajectories for Socially Compliant Navigation. In *Proceedings of RSS*, 2012.
- KUKA. LBR IIWA 14 R820. KUKA, http://www.kuka-robotics.com/en/products/industrial_robots/sensitiv/lbr_iiwa_14_r820/start.htm, 2015.
- D. Kulić and E. Croft. Physiological and subjective responses to articulated robot motion. *Robotica*, 25(01):13, August 2006.
- D. Kulić and E. Croft. Pre-collision safety strategies for human-robot interaction. *Autonomous Robots*, 22:149–164, 2007.
- D. Kulić and E. A. Croft. Safe planning for human-robot interaction. *Journal of Robotic Systems*, 22(7):383–396, July 2005.
- B. Lacevic and P. Rocco. Kinetostatic danger field - A novel safety assessment for human-robot interaction. In *Proceedings of IROS*, pages 2169–2174, 2010.
- M. Laffranchi, N. G. Tsagarakis, and D. G. Caldwell. Safe human robot interaction via energy regulation control. In *Proceedings of IROS*, pages 35–41. IEEE, October 2009.
- S. Lallee, K. Hamann, J. Steinwender, F. Warneken, U. Martienz, H. Barron-Gonzales, U. Pattacini, I. Gori, M. Petit, G. Metta, P. Verschure, and P. Ford Dominey. Cooperative human robot interaction systems: IV. Communication of shared plans with Naïve humans using gaze and speech. In *Proceedings of IROS*, pages 129–136, 2013.
- P. A. Lasota and J. A. Shah. Analyzing the Effects of Human-Aware Motion Planning on Close-Proximity Human-Robot Collaboration. *Human Factors*, 57(1):21–33, January 2015.

- P. A. Lasota, G. F. Rossano, and J. A. Shah. Toward safe close-proximity human-robot interaction with standard industrial robots. In *Proceedings of CASE*, pages 339–344. IEEE, August 2014.
- K. Li and Y. Fu. Prediction of Human Activity by Discovering Temporal Sequence Patterns. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 36(8):1644–1657, August 2014.
- M. Luber, J. A. Stork, G. D. Tipaldi, and K. O. Arras. People tracking with human motion predictions from social forces. In *Proceedings of ICRA*, pages 464–469. IEEE, May 2010.
- J. Mainprice and D. Berenson. Human-robot collaborative manipulation planning using early prediction of human motion. In *Proceedings of IROS*, pages 299–306. IEEE, November 2013.
- J. Mainprice, E. Akin Sisbot, L. Jaillet, J. Cortes, R. Alami, and T. Simeon. Planning human-aware motions using a sampling-based costmap planner. In *Proceedings of ICRA*, pages 5012–5017, 2011.
- J. Mainprice, R. Hayne, and D. Berenson. Predicting human reaching motion in collaborative tasks using Inverse Optimal Control and iterative re-planning. In *Proceedings of ICRA*, pages 885–892, 2015.
- N. McCain. *Causality in Commonsense Reasoning about Actions*. PhD thesis, Computer Sciences Department, The University of Texas at Austin, 1997.
- B. S. McEwen. Stress and the Individual. *Archives of Internal Medicine*, 153(18):2093, September 1993.
- Y. Morales, A. Watanabe, F. Ferreri, J. Even, T. Ikeda, K. Shinozawa, T. Miyashita, and N. Hagita. Including human factors for planning comfortable paths. In *Proceedings of ICRA*, pages 6153–6159, 2015.
- J. Mumm and B. Mutlu. Human-robot proxemics: Physical and Psychological Distancing in Human-Robot Interaction. In *Proceedings of HRI*, page 331, 2011.
- National Institute of Standards and Technology. Performance assessment framework for robotic systems. The National Institute of Standards and Technology (NIST), <http://www.nist.gov>, 2013.
- S. Nikolaidis, P. Lasota, G. Rossano, C. Martinez, T. Fuhlbrigge, and J. Shah. Human-robot collaboration in manufacturing: Quantitative evaluation of predictable, convergent joint action. In *Proceedings of ISR*, pages 1–6. IEEE, October 2013.
- S. Nikolaidis, R. Ramakrishnan, K. Gu, and J. Shah. Efficient model learning from joint-action demonstrations for human-robot collaborative tasks. In *Proceedings of HRI*, pages 189–196. ACM, 2015.

- T. Nomura, T. Suzuki, T. Kanda, and K. Kato. Measurement of negative attitudes toward robots. *Interaction Studies*, 7(3):437–454, 2006.
- S. Oberer and R. D. Schraft. Robot-Dummy Crash Tests for Robot Safety Assessment. In *Proceedings of ICRA*, pages 2934–2939, 2007.
- L. O’Sullivan, R. Nugent, and J. van der Vorm. Standards for the Safety of Exoskeletons Used by Industrial Workers Performing Manual Handling Activities: A Contribution from the Robo-Mate Project to their Future Development. *Procedia Manufacturing*, 3:1418–1425, 2015.
- C. Pérez-D’Arpino and J. A. Shah. Fast Target Prediction of Human Reaching Motion for Cooperative Human-Robot Manipulation Tasks using Time Series Classification. In *Proceedings of ICRA*, 2015.
- A. Pervez and J. Ryu. Safe physical human robot interaction-past, present and future. *Journal of Mechanical Science and Technology*, 22:469–483, 2008.
- E. Plaku and G. D. Hager. Sampling-Based Motion and Symbolic Action Planning with geometric and differential constraints. In *Proceedings of ICRA*, pages 5002–5008. IEEE, May 2010.
- M. P. Polverini, A. M. Zanchettin, and P. Rocco. Real-time collision avoidance in human-robot interaction based on kinetostatic safety field. In *Proceedings of IROS*, pages 4136–4141. IEEE, September 2014.
- B. Povse, D. Koritnik, T. Bajd, and M. Munih. Correlation between impact-energy density and pain intensity during robot-man collision. In *Proceedings of BioRob*, pages 179–183, 2010.
- G. Pratt and M. Williamson. Series elastic actuators. In *Proceedings of IROS*, volume 1, pages 399–406. IEEE, 1995.
- R. Robotics. Baxter with intera 3. RethinkRobotics, <http://www.rethinkrobotics.com/baxter/>, 2015a.
- R. Robotics. Sawyer with intera 3. RethinkRobotics, <http://www.rethinkrobotics.com/sawyer-intera-3/>, 2015b.
- P. Rybski, P. Anderson-Sprecher, D. Huber, C. Niessl, and R. Simmons. Sensor fusion for human safety in industrial workcells. In *Proceedings of IROS*, pages 3612–3619. IEEE, October 2012.
- M. S. Ryoo. Human activity prediction: Early recognition of ongoing activities from streaming videos. In *Proceedings of International Conference on Computer Vision (ICCV)*, pages 1036–1043. IEEE, 2011.

- M. S. Ryoo, T. J. Fuchs, L. Xia, J. K. Aggarwal, and L. Matthies. Robot-Centric Activity Prediction from First-Person Videos : What Will They Do to Me? In *Proceedings of HRI*, pages 295–302, 2015.
- E. A. Sisbot and R. Alami. A Human-Aware Manipulation Planner. *IEEE Transactions on Robotics*, 28(5):1045–1057, October 2012.
- E. A. Sisbot, L. F. Marin-Urias, R. Alami, and T. Simeon. A Human Aware Mobile Robot Motion Planner. *IEEE Transactions on Robotics*, 23(5):874–883, October 2007.
- E. A. Sisbot, L. F. Marin-Urias, X. Broquère, D. Sidobre, and R. Alami. Synthesizing Robot Motions Adapted to Human Presence. *International Journal of Social Robotics*, 2(3):329–343, June 2010.
- A. St. Clair and M. Mataric. How Robot Verbal Feedback Can Improve Team Performance in Human-Robot Task Collaborations. In *Proceedings of HRI*, pages 213–220. ACM Press, March 2015.
- M. St. John, D. A. Kobus, J. G. Morrison, and D. Schmorow. Overview of the darpa augmented cognition technical integration experiment. *International Journal of Human-Computer Interaction*, 17(2):131–149, 2004.
- N. Stergiou. *Innovative analyses of human movement*. Human Kinetics, 1st edition, 2004.
- D. Szafir, B. Mutlu, and T. Fong. Communication of Intent in Assistive Free Flyers. In *Proceedings of HRI*, pages 358–365, 2014.
- D. Szafir, B. Mutlu, and T. Fong. Communicating Directionality in Flying Robots. In *Proceedings of HRI*, pages 19–26, 2015.
- W. Takano, H. Imagawa, and Y. Nakamura. Prediction of human behaviors in the future through symbolic inference. In *Proceedings of ICRA*, pages 1970–1975, 2011.
- L. Takayama and C. Pantofaru. Influences on proxemic behaviors in human-robot interaction. In *Proceedings of IROS*, pages 5495–5502, 2009.
- L. Takayama, D. Dooley, and W. Ju. Expressing thought: Improving Robot Readability with Animation Principles. In *Proceedings of HRI*, page 69, 2011.
- V. V. Unhelkar, J. Perez, J. C. Boerkoel, J. Bix, S. Bartscher, and J. A. Shah. Towards control and sensing for an autonomous mobile robotic assistant navigating assembly lines. In *Proceedings of ICRA*, pages 4161–4167. IEEE, 2014.

- V. V. Unhelkar, P. Claudia, L. Stirling, and J. A. Shah. Human-Robot Co-Navigation using Anticipatory Indicators of Human Walking Motion. In *Proceedings of ICRA*, 2015.
- B. Vanderborght, A. Albu-Schäeffer, A. Bicchi, E. Burdet, D. Caldwell, R. Carloni, M. Catalano, O. Eiberger, W. Friedl, G. Ganesh, M. Garabini, M. Grebenstein, G. Grioli, S. Haddadin, H. Hoppner, A. Jafari, M. Laf-franchi, D. Lefeber, F. Petit, S. Stramigioli, N. Tsagarakis, M. Van Damme, R. Van Ham, L. Visser, and S. Wolf. Variable impedance actuators: A review. *Robotics and Autonomous Systems*, 61(12):1601–1614, December 2013.
- M. Vasic and A. Billard. Safety issues in human-robot interactions. In *Proceedings of ICRA*, pages 197–204. IEEE, May 2013.
- A. Vick, D. Surdilovic, and J. Krüger. Safe physical human-robot interaction with industrial dual-arm robots. In *Proceedings of International Workshop on Robot Motion and Control (RoMoCo)*, pages 264–269, 2013.
- C. Vogel, C. Walter, and N. Elkmann. A projection-based sensor system for safe physical human-robot collaboration. In *Proceedings of IROS*, pages 5359–5364, 2013.
- J. Walker, A. Gupta, and M. Hebert. Patch to the Future: Unsupervised Visual Prediction. In *Proceedings of Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 3302–3309. IEEE, June 2014.
- M. L. Walters, M. A. Oskoei, D. S. Syrdal, and K. Dautenhahn. A long-term Human-Robot Proxemic study. In *Proceedings of International Symposium on Robot and Human Interactive Communication (RO-MAN)*, pages 137–142. IEEE, July 2011.
- J. Wolfe, B. Marthi, and S. Russell. Combined task and motion planning for mobile manipulation. In *Proceedings of International Conference on Automated Planning and Scheduling (ICAPS)*, 2010.
- S. Xiao, Z. Wang, and J. Folkesson. Unsupervised robot learning to predict person motion. In *Proceedings of ICRA*, pages 691–696, 2015.
- J. E. Young, R. Hawkins, E. Sharlin, and T. Igarashi. Toward Acceptable Domestic Robots: Applying Insights from Social Psychology. *International Journal of Social Robotics*, 1(1):95–108, November 2008.
- A. M. Zanchettin, N. M. Ceriani, P. Rocco, H. Ding, and B. Matthias. Safety in Human-Robot Collaborative Manufacturing Environments: Metrics and Control. *IEEE Transactions on Automation Science and Engineering*, pages 1–12, 2015.

- G. Zeilig, H. Weingarden, M. Zwecker, I. Dudkiewicz, A. Bloch, and A. Esque-nazi. Safety and tolerance of the ReWalkTM exoskeleton suit for ambulation by people with complete spinal cord injury: A pilot study. *The Journal of Spinal Cord Medicine*, 35(2):96–101, March 2012.
- B. D. Ziebart, N. Ratliff, G. Gallagher, C. Mertz, K. Peterson, J. A. Bagnell, M. Hebert, A. K. Dey, and S. Srinivasa. Planning-based prediction for pedestrians. In *Proceedings of IROS*, pages 3931–3936, 2009.
- M. Zinn, O. Khatib, B. Roth, and J. Salisbury. Playing it safe [human-friendly robots]. *Robotics Automation Magazine, IEEE*, 11(2):12–21, June 2004.