

---

# **An Introduction to Frames**

---

# An Introduction to Frames

---

**J. Kovačević**

*Carnegie Mellon University  
PA 15213, USA  
j.kovacevic@ieee.org*

**Amina Chebira**

*Carnegie Mellon University  
PA 15213, USA  
achebira@ieee.org*

**now**

the essence of **know**ledge

Boston – Delft

## Foundations and Trends<sup>®</sup> in Signal Processing

*Published, sold and distributed by:*

now Publishers Inc.  
PO Box 1024  
Hanover, MA 02339  
USA  
Tel. +1-781-985-4510  
[www.nowpublishers.com](http://www.nowpublishers.com)  
[sales@nowpublishers.com](mailto:sales@nowpublishers.com)

*Outside North America:*

now Publishers Inc.  
PO Box 179  
2600 AD Delft  
The Netherlands  
Tel. +31-6-51115274

The preferred citation for this publication is J. Kovačević and A. Chebira, An Introduction to Frames, Foundations and Trends<sup>®</sup> in Signal Processing, vol 2, no 1, pp 1–94, 2008

ISBN: 978-1-60198-068-7  
© 2008 J. Kovačević and A. Chebira

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, mechanical, photocopying, recording or otherwise, without prior written permission of the publishers.

Photocopying. In the USA: This journal is registered at the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by now Publishers Inc for users registered with the Copyright Clearance Center (CCC). The 'services' for users can be found on the internet at: [www.copyright.com](http://www.copyright.com)

For those organizations that have been granted a photocopy license, a separate system of payment has been arranged. Authorization does not extend to other kinds of copying, such as that for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. In the rest of the world: Permission to photocopy must be obtained from the copyright owner. Please apply to now Publishers Inc., PO Box 1024, Hanover, MA 02339, USA; Tel. +1-781-871-0245; [www.nowpublishers.com](http://www.nowpublishers.com); [sales@nowpublishers.com](mailto:sales@nowpublishers.com)

now Publishers Inc. has an exclusive license to publish this material worldwide. Permission to use this content must be obtained from the copyright license holder. Please apply to now Publishers, PO Box 179, 2600 AD Delft, The Netherlands, [www.nowpublishers.com](http://www.nowpublishers.com); e-mail: [sales@nowpublishers.com](mailto:sales@nowpublishers.com)

**Foundations and Trends<sup>®</sup> in  
Signal Processing**  
Volume 2 Issue 1, 2008  
**Editorial Board**

**Editor-in-Chief:**

**Robert M. Gray**

*Dept of Electrical Engineering*

*Stanford University*

*350 Serra Mall*

*Stanford, CA 94305*

*USA*

*rmgray@stanford.edu*

**Editors**

Abeer Alwan (UCLA)

John Apostolopoulos (HP Labs)

Pamela Cosman (UCSD)

Michelle Effros (California Institute  
of Technology)

Yonina Eldar (Technion)

Yariv Ephraim (George Mason  
University)

Sadaoki Furui (Tokyo Institute  
of Technology)

Vivek Goyal (MIT)

Sinan Gunturk (Courant Institute)

Christine Guillemot (IRISA)

Sheila Hemami (Cornell)

Lina Karam (Arizona State  
University)

Nick Kingsbury (Cambridge  
University)

Alex Kot (Nanyang Technical  
University)

Jelena Kovacevic (CMU)

B.S. Manjunath (UCSB)

Urbashi Mitra (USC)

Thrasos Pappas (Northwestern  
University)

Mihaela van der Shaar (UCLA)

Luis Torres (Technical University  
of Catalonia)

Michael Unser (EPFL)

P.P. Vaidyanathan (California  
Institute of Technology)

Rabab Ward (University  
of British Columbia)

Susie Wee (HP Labs)

Clifford J. Weinstein (MIT Lincoln  
Laboratories)

Min Wu (University of Maryland)

Josiane Zerubia (INRIA)

## Editorial Scope

**Foundations and Trends<sup>®</sup> in Signal Processing** will publish survey and tutorial articles on the foundations, algorithms, methods, and applications of signal processing including the following topics:

- Adaptive signal processing
- Audio signal processing
- Biological and biomedical signal processing
- Complexity in signal processing
- Digital and multirate signal processing
- Distributed and network signal processing
- Image and video processing
- Linear and nonlinear filtering
- Multidimensional signal processing
- Multimodal signal processing
- Multiresolution signal processing
- Nonlinear signal processing
- Randomized algorithms in signal processing
- Sensor and multiple source signal processing, source separation
- Signal decompositions, subband and transform methods, sparse representations
- Signal processing for communications
- Signal processing for security and forensic analysis, biometric signal processing
- Signal quantization, sampling, analog-to-digital conversion, coding and compression
- Signal reconstruction, digital-to-analog conversion, enhancement, decoding and inverse problems
- Speech/audio/image/video compression
- Speech and spoken language processing
- Statistical/machine learning
- Statistical signal processing
- Classification and detection
- Estimation and regression
- Tree-structured methods

### Information for Librarians

Foundations and Trends<sup>®</sup> in Signal Processing, 2008, Volume 2, 4 issues. ISSN paper version 1932-8346. ISSN online version 1932-8354. Also available as a combined paper and online subscription.

Foundations and Trends<sup>®</sup> in  
Signal Processing  
Vol. 2, No. 1 (2008) 1–94  
© 2008 J. Kovačević and A. Chebira  
DOI: 10.1561/20000000006



## An Introduction to Frames\*

Jelena Kovačević<sup>1</sup> and Amina Chebira<sup>2</sup>

<sup>1</sup> *Center for Bioimage Informatics, Carnegie Mellon University, 5000 Forbes Avenue, PA 15213, USA, [j.kovacevic@ieee.org](mailto:j.kovacevic@ieee.org)*

<sup>2</sup> *Center for Bioimage Informatics, Carnegie Mellon University, 5000 Forbes Avenue, PA 15213, USA, [achebira@ieee.org](mailto:achebira@ieee.org)*

### Abstract

This survey gives an introduction to redundant signal representations called frames. These representations have recently emerged as yet another powerful tool in the signal processing toolbox and have become popular through use in numerous applications. Our aim is to familiarize a general audience with the area, while at the same time giving a snapshot of the current state-of-the-art.

---

\* Based on “Life Beyond Bases: The Advent of Frames (Parts I and II),” by Jelena Kovačević and Amina Chebira, © *IEEE Signal Processing Magazine*, 2007.

## Contents

---

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>Review of Bases</b>	<b>5</b>
2.1	Orthonormal Bases	8
2.2	General Bases	12
<b>3</b>	<b>Frame Definitions and Properties</b>	<b>15</b>
3.1	General Frames	20
3.2	Tight Frames	25
<b>4</b>	<b>Finite-Dimensional Frames</b>	<b>27</b>
4.1	Naimark Theorem	28
4.2	What Can Coulomb Teach Us?	29
4.3	Design Constraints: What Might We Ask of a Frame?	34
<b>5</b>	<b>Infinite-Dimensional Frames via Filter Banks</b>	<b>37</b>
5.1	Bases via Filter Banks	37
5.2	Frames via Filter Banks	48
<b>6</b>	<b>All in the Family</b>	<b>51</b>
6.1	Harmonic Tight Frames and Variations	51

6.2	Grassmanian Packings and Equiangular Frames	53
6.3	The Algorithm à Trous	55
6.4	Gabor and Cosine-Modulated Frames	56
6.5	The Dual-Tree CWT and the Dual-Density DWT	58
6.6	Multidimensional Frames	62
6.7	Discussion and Notes	65
<b>7</b>	<b>Applications</b>	<b>67</b>
7.1	Resilience to Noise	67
7.2	Compressive Sensing	69
7.3	Denoising	71
7.4	Resilience to Erasures	72
7.5	Coding Theory	74
7.6	CDMA Systems	75
7.7	Multiantenna Code Design	77
7.8	From Biology to Teleportation	78
<b>A</b>	<b>Nomenclature and Notation</b>	<b>83</b>
	<b>Acknowledgments</b>	<b>87</b>
	<b>References</b>	<b>89</b>



# 1

---

## Introduction

---

Redundancy is a common tool in our daily lives. We double- and triple-check that we turned off gas and lights, took our keys, money, etc. (at least those worrywarts among us do). When an important date is coming up, we drive our loved ones crazy by confirming “just once more” they are on top of it.

The same idea of removing doubt is present in signal representations. Given a signal, we represent it in another system, typically a basis, where its characteristics are more readily apparent in the transform coefficients. However, these representations are typically nonredundant, and thus corruption or loss of transform coefficients can be serious. In comes redundancy; we build a safety net into our representation so that we can avoid those disasters. The redundant counterpart of a basis is called a *frame*.<sup>1</sup>

It is generally acknowledged<sup>2</sup> that frames were born in 1952 in the work of Duffin and Schaeffer [78]. Despite being over half a century old, frames gained popularity only in the last decade, due mostly to the work of the three wavelet pioneers — Daubechies et al. [67].

---

<sup>1</sup>No one seems to know why they are called frames, perhaps because of the bounds in (3.8).

<sup>2</sup>At least in the signal processing and harmonic analysis communities.

## 2 Introduction

Frame-like ideas, that is, building redundancy into a signal expansion, can be found in pyramid coding [33], resilience to noise [18, 19, 60, 64, 65, 93, 98, 133], denoising [53, 77, 88, 110, 177], robust transmission [20, 21, 22, 25, 41, 92, 105, 139, 157, 165], CDMA systems [131, 161, 168, 169], multiantenna code design [100, 104], segmentation [69, 124, 162], classification [48, 124, 162], prediction of epileptic seizures [16, 17], restoration and enhancement [113], motion estimation [128], signal reconstruction [6], coding theory [101, 143], operator theory [2], quantum theory and computing [80, 151, 153], and many others.

While frames are often associated with wavelet frames, frames are more general than that. Wavelet frames possess structure; frames are redundant representations that only need to represent signals in a given space with a certain amount of redundancy. The simplest frame, appropriately named Mercedes-Benz, is introduced in Figure 3.2; just have a peek now, we will go into more details later.

Why and where would one use frames? The answer is simple: anywhere where redundancy is a must. The host of the applications mentioned above and discussed later in the survey illustrate that richly.

Now a word about what you are reading: why an introductory survey? The sources on frames are the beautiful book by Daubechies [64], a recent book by Christensen [51] as well as a number of classic papers [39, 63, 99, 103], among others. Although excellent material, none of the above sources offer an introduction to frames geared primarily to engineers and those who just want an introduction into the area. Thus our emphasis; this is a survey, rather than a comprehensive survey of the state of the field. Although we will touch upon a number of applications and theoretical results, we will do so only for the sake of teaching. We will go slowly, whenever possible using the simplest examples. Generalizations will follow naturally. We will be selective and will necessarily give our personal view of frames. We will be rigorous when necessary; however, we will not insist upon it at all times. As often as possible, we will be living in the finite-dimensional world; it is rich enough to give a flavor of the basic concepts. When we do venture into the infinite-dimensional one, we will do so only using

filter banks — structured expansions used in many signal processing applications.

This treatment is largely reproduced from two tutorials published in the *IEEE Signal Processing Magazine* [117, 118]. The aim here is to present the material in one piece, with more detail and ease of referencing.

## References

---

- [1] A. F. Abdelnour and I. W. Selesnick, "Symmetric nearly shift-invariant tight frame wavelets," *IEEE Transactions on Signal Processing*, vol. 53, no. 1, pp. 231–239, January 2005.
- [2] N. I. Akhiezer and I. M. Glazman, *Theory of Linear Operators in Hilbert Spaces*. Vol. 1, Frederick Ungar, 1966.
- [3] A. Aldroubi and K. Gröchenig, "Nonuniform sampling and reconstruction in shift-invariant spaces," *SIAM Review*, vol. 43, no. 4, pp. 585–620, 2001.
- [4] R. Anderson, N. G. Kingsbury, and J. Fauqueur, "Rotation-invariant object recognition using edge-profile clusters," *Proceedings of European Conference on Signal Processing*, September 2006.
- [5] P. Auscher, "Remarks on the local Fourier bases," *Wavelets: Mathematics and Applications*, pp. 203–218, CRC Press, 1994.
- [6] R. Balan, P. G. Casazza, and D. Edidin, "On signal reconstruction without phase," *Journal on Applied and Computational Harmonic Analysis*, vol. 20, no. 3, pp. 345–356, 2006.
- [7] R. Balan, P. G. Casazza, C. Heil, and Z. Landau, "Deficits and excesses of frames," *Advances in Computational Mathematics*, vol. 18, pp. 93–116, 2003.
- [8] R. Balan, P. G. Casazza, C. Heil, and Z. Landau, "Density, overcompleteness, and localization of frames, I. Theory," *Journal of Fourier Analysis and Applications*, vol. 12, pp. 105–143, 2006.
- [9] R. Balan, P. G. Casazza, C. Heil, and Z. Landau, "Density, overcompleteness, and localization of frames, II. Gabor frames," *Journal of Fourier Analysis and Applications*, vol. 12, pp. 307–344, 2006.

## 90 References

- [10] I. Bayram and I. W. Selesnick, "Overcomplete discrete wavelet transforms with rational dilation factors," *IEEE Transactions on Signal Processing*, accepted, 2008.
- [11] M. G. Bellanger and J. L. Daguët, "TDM-FDM transmultiplexer: Digital polyphase and FFT," *IEEE Transactions on Communications*, vol. 22, no. 9, pp. 1199–1204, September 1974.
- [12] J. J. Benedetto, "Irregular sampling and frames," in *Wavelets: A Tutorial in Theory and Applications*, pp. 445–507, Academic Press, 1992.
- [13] J. J. Benedetto and M. C. Fickus, "Finite normalized tight frames," *Advances in Computational Mathematics, Frames*, vol. 18, pp. 357–385, (special issue) 2003.
- [14] J. J. Benedetto and A. Kebo, "The role of frame force in quantum detection," *Journal on Fourier Analysis and Applications*, vol. 14, pp. 443–474, 2008.
- [15] J. J. Benedetto and O. Oktay, "PCM-sigma delta comparison and sparse representation quantization," in *Proceedings of CISS*, Princeton, NJ, March 2008.
- [16] J. J. Benedetto and G. E. Pfander, "Wavelet periodicity detection algorithms," in *Proceedings of SPIE Conference on Wavelet Applications in Signal and Image Processing*, pp. 48–55, San Diego, CA, July 1998.
- [17] J. J. Benedetto and G. E. Pfander, "Periodic wavelet transforms and periodicity detection," *SIAM Journal on Applied Mathematics*, vol. 62, pp. 1329–1368, 2002.
- [18] J. J. Benedetto, A. M. Powell, and Ö. Yilmaz, "Sigma-delta quantization and finite frames," *IEEE Transactions on Information Theory*, vol. 52, pp. 1990–2005, 2006.
- [19] J. J. Benedetto and O. Treiber, "Wavelet frames: Multiresolution analysis and extension principles," in *Wavelet Transforms and Time-Frequency Signal Analysis*, Birkhäuser, 2001.
- [20] R. Bernardini and R. Rinaldo, "Efficient reconstruction from frame-based multiple descriptions," *IEEE Transactions on Signal Processing*, vol. 53, no. 8, pp. 3282–3296, August 2005.
- [21] R. Bernardini and R. Rinaldo, "Bounds on error amplification in oversampled filter banks for robust transmission," *IEEE Transactions on Signal Processing*, vol. 54, no. 4, pp. 1399–1411, April 2006.
- [22] R. Bernardini and R. Rinaldo, "Oversampled filter banks from extended perfect reconstruction filter banks," *IEEE Transactions on Signal Processing*, vol. 54, no. 7, July 2006.
- [23] B. G. Bodmann, "Optimal linear transmission by loss-insensitive packet encoding," *Journal on Applied and Computational Harmonic Analysis*, vol. 22, no. 3, pp. 274–285, 2007.
- [24] B. G. Bodmann, P. G. Casazza, D. Edidin, and R. Balan, "Frames for linear reconstruction without phase," in *Proceedings of CISS*, Princeton, NJ, March 2008.
- [25] B. G. Bodmann and V. I. Paulsen, "Frames, graphs and erasures," *Linear Algebra and Its Applications*, pp. 118–146, 2005.
- [26] H. Bölcskei and F. Hlawatsch, "Oversampled modulated filter banks," in *Gabor Analysis and Algorithms: Theory and Applications*, pp. 295–322, Boston, MA: Birkhäuser, 1998.

- [27] H. Bölcskei and F. Hlawatsch, "Oversampled cosine modulated filter banks with perfect reconstruction," *IEEE Transactions on Circuits and Systems II: Analog and Digital Signal Processing*, vol. 45, no. 8, pp. 1057–1071, August 1998.
- [28] H. Bölcskei and F. Hlawatsch, "Noise reduction in oversampled filter banks using predictive quantization," *IEEE Transactions on Information Theory*, vol. 47, no. 1, pp. 155–172, January 2001.
- [29] H. Bölcskei, F. Hlawatsch, and H. G. Feichtinger, "Frame-theoretic analysis of oversampled filter banks," *IEEE Transactions on Signal Processing*, vol. 46, no. 12, pp. 3256–3269, December 1998.
- [30] S. Borodachov and Y. Wang, "Asymptotic white noise hypothesis for PCM quantization," in *Proceedings of CISS*, Princeton, NJ, March 2008.
- [31] D. Bouwmeester, J.-W. Pan, K. Mattle, M. Eibl, H. Weinfurter, and A. Zeilinger, "Experimental quantum teleportation," *Nature*, vol. 390, p. 575, December 1997.
- [32] A. P. Bradley, "Shift invariance in the discrete wavelet transform," in *Proceedings of Digital Image Computing*, December 2003.
- [33] P. J. Burt and E. H. Adelson, "The Laplacian pyramid as a compact image code," *IEEE Transactions on Communications*, vol. 31, no. 4, pp. 532–540, April 1983.
- [34] E. J. Candès, *Curvelet Web Site*. <http://www.curvelet.org/papers.html>.
- [35] E. J. Candès, L. Demanet, D. L. Donoho, and L. Ying, "Fast discrete curvelet transforms," *SIAM Multiscale Model Simulation*, vol. 5, no. 3, pp. 861–899, 2006.
- [36] E. J. Candès and D. L. Donoho, "New tight frames of curvelets and optimal representation of objects with piecewise  $C^2$  singularities," *Communications on Pure and Applied Mathematics*, vol. 57, pp. 219–266, 2004.
- [37] E. J. Candès, J. Romberg, and T. Tao, "Robust uncertainty principles: Exact signal reconstruction from highly incomplete frequency information," *IEEE Transactions on Information Theory*, vol. 52, no. 2, pp. 489–509, February 2006.
- [38] E. J. Candès and T. Tao, "Near optimal signal recovery from random projections: Universal encoding strategies?" *IEEE Transactions on Information Theory*, vol. 52, no. 12, pp. 5406–5425, December 2006.
- [39] P. G. Casazza, "The art of frame theory," *Taiwanese Journal on Mathematics*, vol. 4, no. 2, pp. 129–202, 2000.
- [40] P. G. Casazza, M. C. Fickus, J. Kovačević, M. Leon, and J. C. Tremain, "A physical interpretation for finite tight frames," in *Harmonic Analysis and Applications*, pp. 51–76, Boston, MA: Birkhäuser, 2006.
- [41] P. G. Casazza and J. Kovačević, "Equal-norm tight frames with erasures," *Advances on Computational Mathematics, Frames*, vol. 18, pp. 387–430, (special issue), 2002.
- [42] P. G. Casazza and G. Kutyniok, "Frames of subspaces," *Contemporary Mathematics*, vol. 345, pp. 87–113, 2004.
- [43] P. G. Casazza and G. Kutyniok, "Robustness of fusion frames under erasures of subspaces and of local frame vectors," in *Radon Transforms, Geometry, and Wavelets*, (E. L. Grinberg, D. Larson, P. E. T. Jorgensen, P. Massopust,

## 92 References

- G. Olafsson, E. T. Quinto, and B. Rubi, eds.), *Contemporary Mathematics*, Amer. Math. Soc., Providence, RI, to appear, 2008.
- [44] P. G. Casazza, G. Kutyniok, and S. Li, "Fusion frames and distributed processing," *Journal on Applied and Computational Harmonic Analysis*, vol. 25, pp. 114–132, 2008.
- [45] P. G. Casazza, G. Kutyniok, S. Li, and A. Pezeshki, *Fusion Frames*. <http://www.fusionframe.org/>.
- [46] P. G. Casazza and N. Leonhard, "The known equal norm Parseval frames as of 2005," Technical Report, University of Missouri, 2005.
- [47] S. G. Chang, Z. Cvetković, and M. Vetterli, "Resolution enhancement of images using wavelet extrema extrapolation," in *Proceedings of IEEE International Conference on Acoustics, Speech and Signal Processing*, vol. 4, pp. 2379–2382, Detroit, MI, May 1995.
- [48] A. Chebira, Y. Barbotin, C. Jackson, T. E. Merryman, G. Srinivasa, R. F. Murphy, and J. Kovačević, "A multiresolution approach to automated classification of protein subcellular location images," *BMC Bioinformatics*, vol. 8, no. 210, 2007, [http://www.andrew.cmu.edu/user/jelenak/Repository/07\\_ChebiraBJMSMK/07\\_ChebiraBJMSMK.html](http://www.andrew.cmu.edu/user/jelenak/Repository/07_ChebiraBJMSMK/07_ChebiraBJMSMK.html).
- [49] A. Chebira and J. Kovačević, "Lapped tight frame transforms," in *Proceedings of IEEE International Conference Acoustics, Speech and Signal Processing*, vol. III, pp. 857–860, Honolulu, HI, April 2007.
- [50] H. Choi, J. Romberg, R. Baraniuk, and N. G. Kingsbury, "Hidden Markov tree modelling of complex wavelet transforms," in *Proceedings of IEEE International Conference Acoustics, Speech and Signal Processing*, Istanbul, Turkey, June 2000.
- [51] O. Christensen, *An Introduction to Frames and Riesz Bases*. Birkhäuser, 2002.
- [52] O. Christensen and Y. C. Eldar, "Oblique dual frames and shift-invariant spaces," *Journal on Applied and Computational Harmonic Analysis*, vol. 17, no. 1, pp. 48–68, July 2004.
- [53] R. R. Coifman and D. L. Donoho, "Translation-invariant denoising," in *Wavelets and Statistics*, New York, NY: Springer-Verlag, 1995.
- [54] R. R. Coifman, Y. Meyer, S. Quake, and M. V. Wickerhauser, "Signal processing and compression with wavelet packets," Technical Report, Yale University, 1991.
- [55] J. Conway, R. H. Hardin, and N. J. A. Sloane, "Packing lines, planes, etc: Packings in Grassmanian spaces," *Experimental Mathematics*, vol. 5, no. 2, pp. 139–159, 1996.
- [56] J. Conway and N. J. A. Sloane, *Sphere Packings, Lattices and Groups*. Springer-Verlag, 1992.
- [57] A. Croisier, D. Esteban, and C. Galand, "Perfect channel splitting by use of interpolation/decimation/tree decomposition techniques," in *Proceedings of International Conference on Information Sciences and System*, pp. 443–446, Patras, Greece, August 1976.
- [58] A. L. Cunha, J. Zhou, and M. N. Do, "The nonsubsampling contourlet transform: Theory, design, and applications," *IEEE Transactions on Image Processing*, vol. 15, no. 10, pp. 3089–3101, October 2006.

- [59] Z. Cvetković, “Oversampled modulated filter banks and tight Gabor frames in  $\ell^2(\mathbb{Z})$ ,” in *Proceedings of IEEE International Conference on Acoustics, Speech and Signal Processing*, pp. 1456–1459, Detroit, MI, May 1995.
- [60] Z. Cvetković, “Resilience properties of redundant expansions under additive noise and quantization,” *IEEE Transactions on Information Theory*, vol. 49, no. 3, pp. 644–656, March 2003.
- [61] Z. Cvetković and M. Vetterli, “Oversampled filter banks,” *IEEE Transactions on Signal Processing*, vol. 46, no. 5, pp. 1245–1255, May 1998.
- [62] Z. Cvetković and M. Vetterli, “Tight Weyl-Heisenberg frames in  $\ell^2(\mathbb{Z})$ ,” *IEEE Transactions on Signal Processing*, vol. 46, no. 5, pp. 1256–1259, May 1998.
- [63] I. Daubechies, “The wavelet transform, time-frequency localization and signal analysis,” *IEEE Transactions on Information Theory*, vol. 36, no. 5, pp. 961–1005, September 1990.
- [64] I. Daubechies, *Ten Lectures on Wavelets*. Philadelphia, PA: SIAM, 1992.
- [65] I. Daubechies and R. DeVore, “Reconstructing a bandlimited function from very coarsely quantized data: A family of stable sigma-delta modulators of arbitrary order,” *Annals of Mathematics*, vol. 158, no. 2, pp. 679–710, 2003.
- [66] I. Daubechies, R. A. DeVore, C. S. Güntürk, and V. A. Vaishampayan, “A/D conversion with imperfect quantizers,” *IEEE Transactions on Information Theory*, vol. 52, no. 3, pp. 874–885, March 2006.
- [67] I. Daubechies, A. Grossman, and Y. Meyer, “Painless nonorthogonal expansions,” *Journal on Mathematical Physics*, vol. 27, pp. 1271–1283, November 1986.
- [68] I. Daubechies, H. J. Landau, and Z. Landau, “Gabor time-frequency lattices and the Wexler-Raz identity,” *Journal on Fourier Analysis and Applications*, vol. 1, no. 4, pp. 437–478, November 1994.
- [69] P. de Rivaz and N. G. Kingsbury, “Fast segmentation using level set curves of complex wavelet surfaces,” in *Proceedings of IEEE International Conference on Image Processing*, Vancouver, Canada, September 1998.
- [70] P. F. C. de Rivaz and N. G. Kingsbury, “Bayesian image deconvolution and denoising using complex wavelets,” in *Proceedings of IEEE International Conference on Image Processing*, Thessaloniki, Greece, October 2001.
- [71] M. N. Do and M. Vetterli, “Framing pyramids,” *IEEE Transactions on Signal Processing*, vol. 51, no. 9, pp. 2329–2342, September 2003.
- [72] M. N. Do and M. Vetterli, “The contourlet transform: An efficient directional multiresolution image representation,” *IEEE Transactions on Image Processing*, vol. 14, no. 12, pp. 2091–2106, December 2005.
- [73] D. L. Donoho, “De-noising by soft-thresholding,” *IEEE Transactions on Information Theory*, vol. 41, pp. 613–627, March 1995.
- [74] D. L. Donoho, “Compressed sensing,” *IEEE Transactions on Information Theory*, vol. 52, no. 4, pp. 1289–1306, April 2006.
- [75] D. L. Donoho, M. Elad, and V. N. Temlyakov, “Stable recovery of sparse overcomplete representations in the presence of noise,” *IEEE Transactions on Information Theory*, vol. 52, no. 1, pp. 6–18, January 2006.
- [76] D. L. Donoho and I. M. Johnstone, “Ideal spatial adaptation via wavelet shrinkage,” *Biometrika*, vol. 81, pp. 425–455, 1994.



## 94 References

- [77] P. L. Dragotti, V. Velisavljević, M. Vetterli, and B. Beferull-Lozano, “Discrete directional wavelet bases and frames for image compression and denoising,” in *Proceedings of SPIE Conference on Wavelet Applications in Signal and Image Processing*, August 2003.
- [78] R. J. Duffin and A. C. Schaeffer, “A class of nonharmonic Fourier series,” *Transactions on American Mathematical Society*, vol. 72, pp. 341–366, 1952.
- [79] Y. Eldar and H. Bölcskei, “Geometrically uniform frames,” *IEEE Transactions on Information Theory*, vol. 49, no. 4, pp. 993–1006, April 2003.
- [80] Y. Eldar and G. Forney, Jr., “Optimal tight frames and quantum measurement,” *IEEE Transactions on Information Theory*, vol. 48, no. 3, pp. 599–610, March 2002.
- [81] N. Elron and Y. C. Eldar, “Optimal encoding of classical information in a quantum medium,” *IEEE Transactions on Information Theory*, vol. 53, no. 5, pp. 1900–1907, May 2007.
- [82] B.-G. Englert, 2004, <http://www.imaph.tu-bs.de/qi/problems/13.html>.
- [83] D. Esteban and C. Galand, “Applications of quadrature mirror filters to split band voice coding schemes,” in *Proceedings of IEEE International Conference on Acoustics, Speech and Signal Processing*, pp. 191–195, 1995.
- [84] J. Fauqueur, N. G. Kingsbury, and R. Anderson, “Multiscale keypoint detection using the dual-tree complex wavelet transform,” *Proceedings of IEEE International Conference on Image Processing*, October 2006.
- [85] H. G. Feichtinger and K. Gröchenig, “Theory and practice of irregular sampling,” *Wavelets: Mathematics and Applications*, pp. 305–363, CRC Press, 1994.
- [86] H. G. Feichtinger and T. Strohmer, eds., *Gabor Analysis and Algorithms: Theory and Applications*. Boston, MA: Birkhäuser, 1998.
- [87] A. K. Fletcher, V. K. Goyal, and K. Ramchandran, “Iterative projective wavelet methods for denoising,” in *Proceedings of SPIE Conference on Wavelet Applications in Signal and Image Processing*, vol. 5207, pp. 9–15, San Diego, CA, August 2003.
- [88] A. K. Fletcher, S. Rangan, V. K. Goyal, and K. Ramchandran, “Denoising by sparse approximation: Error bounds based on rate-distortion theory,” *EURASIP Journal on Applied Signal Processing*, pp. 1–19, March 2006.
- [89] G. J. Foschini and M. J. Gans, “On the limits of wireless communications in a fading environment when using multiple antennas,” *Wireless Personal Communications*, vol. 6, no. 3, pp. 311–335, March 1998.
- [90] D. Gabor, “Theory of communication,” *Journal of IEE*, vol. 93, pp. 429–457, 1946.
- [91] I. Gohberg and S. Goldberg, *Basic Operator Theory*. Boston, MA: Birkhäuser, 1981.
- [92] V. K. Goyal, J. Kovačević, and J. A. Kelner, “Quantized frame expansions with erasures,” *Journal on Applied and Computational Harmonic Analysis*, vol. 10, no. 3, pp. 203–233, May 2001.
- [93] V. K. Goyal, M. Vetterli, and N. T. Thao, “Quantized overcomplete expansions in  $\mathbb{R}^N$ : Analysis, synthesis, and algorithms,” *IEEE Transactions on Information Theory*, vol. 44, no. 1, pp. 16–31, January 1998.

- [94] R. M. Gray, "Quantization noise spectra," *IEEE Transactions on Information Theory*, vol. 36, no. 6, pp. 1220–1244, November 1990.
- [95] K. Gröchenig, "Localization of frames, Banach frames, and the invertibility of the frame operator," *Journal on Fourier Analysis and Applications*, vol. 10, pp. 105–132, 2004.
- [96] C. S. Güntürk, "One-bit sigma-delta quantization with exponential accuracy," *Communications on Pure and Applied Mathematics*, vol. 56, no. 11, pp. 1608–1630, 2003.
- [97] C. S. Güntürk, "Simultaneous and hybrid beta-encodings," in *Proceedings of CISS*, Princeton, NJ, March 2008.
- [98] C. S. Güntürk, J. Lagarias, and V. Vaishampayan, "On the robustness of single loop sigma-delta modulation," *IEEE Transactions on Information Theory*, vol. 12, no. 1, pp. 63–79, January 2001.
- [99] D. Han and D. R. Larson, "Frames, bases and group representations," *Number 697 Memoirs AMS*, Providence, RI: American Mathematical Society, 2000.
- [100] B. Hassibi, B. Hochwald, A. Shokrollahi, and W. Sweldens, "Representation theory for high-rate multiple-antenna code design," *IEEE Transactions on Information Theory*, vol. 47, no. 6, pp. 2355–2367, 2001.
- [101] R. Heath and A. Paulraj, "Linear dispersion codes for MIMO systems based on frame theory," *IEEE Transactions on Signal Processing*, vol. 50, no. 10, pp. 2429–2441, October 2002.
- [102] C. Heil, "Linear independence of finite Gabor systems," in *Harmonic Analysis and Applications*, pp. 171–206, Boston, MA: Birkhäuser, 2006.
- [103] C. Heil and D. Walnut, "Continuous and discrete wavelet transforms," *SIAM Review*, vol. 31, pp. 628–666, 1989.
- [104] B. Hochwald, T. Marzetta, T. Richardson, W. Sweldens, and R. Urbanke, "Systematic design of unitary space-time constellations," *IEEE Transactions on Information Theory*, vol. 46, no. 6, pp. 1962–1973, 2000.
- [105] R. B. Holmes and V. I. Paulsen, "Optimal frames for erasures," *Linear Algebra and Its Applications*, vol. 377, pp. 31–51, 2004.
- [106] M. Holschneider, R. Kronland-Martinet, J. Morlet, and P. Tchamitchian, "A real-time algorithm for signal analysis with the help of the wavelet transform," in *Wavelets, Time-Frequency Methods and Phase Space*, pp. 289–297, Berlin, Germany: Springer-Verlag, 1989.
- [107] P. Ishwar and P. Moulin, "Multiple-domain image modeling and restoration," in *Proceedings of IEEE International Conference on Image Processing*, pp. 362–366, Kobe, Japan, October 1999.
- [108] P. Ishwar and P. Moulin, "Shift invariant restoration — An overcomplete maxent MAP framework," in *Proceedings of IEEE International Conference on Image Processing*, pp. 270–272, Vancouver, Canada, September 2000.
- [109] P. Ishwar and P. Moulin, "On the equivalence of set-theoretic and maxent MAP estimation," *IEEE Transactions on Signal Processing*, vol. 51, no. 3, pp. 698–713, September 2003.
- [110] P. Ishwar, K. Ratakonda, P. Moulin, and N. Ahuja, "Image denoising using multiple compaction domains," in *Proceedings of IEEE International Conference on Acoustics, Speech and Signal Processing*, pp. 1889–1892, Seattle, WA, 1998.

## 96 References

- [111] A. J. E. M. Janssen, "Duality and biorthogonality for Weyl-Heisenberg frames," *Journal on Fourier Analysis and Applications*, vol. 1, no. 4, pp. 403–436, November 1994.
- [112] R. A. Kellogg, A. Chebira, A. Goyal, P. A. Cuadra, S. F. Zappe, J. S. Minden, and J. Kovačević, "Towards an image analysis toolbox for high-throughput Drosophila embryo RNAi screens," in *Proceedings of IEEE International Symposium Biomedical Imaging*, pp. 288–291, Arlington, VA, April 2007.
- [113] N. G. Kingsbury, "The dual-tree complex wavelet transform: A new efficient tool for image restoration and enhancement," in *Proceedings of European Signal Processing Conference*, pp. 319–322, 1998.
- [114] N. G. Kingsbury, "Image processing with complex wavelets," *Philosophical Transactions on Royal Society London A*, September 1999.
- [115] N. G. Kingsbury, "Complex wavelets for shift invariant analysis and filtering of signals," *Journal on Applied and Computational Harmonic Analysis*, vol. 10, no. 3, pp. 234–253, May 2001.
- [116] N. G. Kingsbury, "Rotation-invariant local feature matching with complex wavelets," in *Proceedings of European Conference on Signal Processing*, Florence, Italy, September 2006.
- [117] J. Kovačević and A. Chebira, "Life beyond bases: The advent of frames (Part I)," *IEEE Signal Processing Magazine*, vol. 24, no. 4, pp. 86–104, July 2007.
- [118] J. Kovačević and A. Chebira, "Life beyond bases: The advent of frames (Part II)," *IEEE Signal Processing Magazine*, vol. 24, no. 5, pp. 115–125, September 2007.
- [119] J. Kovačević, P. L. Dragotti, and V. K. Goyal, "Filter bank frame expansions with erasures," *IEEE Transactions on Information Theory*, vol. 48, no. 6, pp. 1439–1450, (special issue), June 2002.
- [120] F. Krahmer, G. E. Pfander, and P. Rashkov, "Uncertainty in time-frequency representations on finite Abelian groups," *Journal on Applied and Computational Harmonic Analysis*, vol. 25, no. 2, pp. 209–225, 2008.
- [121] G. Kutyniok, A. Pezeshki, A. R. Calderbank, and T. Liu, "Robust dimension reduction, fusion frames and Grassmannian packings," *Journal on Applied and Computational Harmonic Analysis*, to appear, 2008.
- [122] D. Labate, W.-Q. Lim, G. Kutyniok, and G. Weiss, "Sparse multidimensional representation using shearlets," in *Proceedings of SPIE Conference of Wavelet Applied in Signal and Image Processing*, pp. 254–262, Bellingham, WA, 2005.
- [123] F. Labeau, J.-C. Chiang, M. Kieffer, P. D. L., Vandendorpe, and B. Macq, "Oversampled filter banks as error correcting codes: theory and impulse noise correction," *IEEE Transactions on Signal Processing*, vol. 53, no. 12, pp. 4619–4630, December 2005.
- [124] A. Laine and J. Fan, "Frame representations for texture segmentation," *IEEE Transactions on Image Processing*, vol. 5, no. 5, pp. 771–780, May 1996.
- [125] J. Lawrence, G. E. Pfander, and D. Walnut, "Linear independence of Gabor systems in finite dimensional vector spaces," *Journal on Fourier Analysis and Applications*, vol. 11, no. 6, pp. 715–726, 2005.
- [126] P. Lemmens and J. J. Seidel, "Equiangular lines," *Journal on Algebra*, vol. 24, pp. 494–512, 1973.

- [127] Y. Lu and M. N. Do, "Multidimensional directional filter banks and surfacelets," *IEEE Transactions on Image Processing*, vol. 16, no. 4, pp. 918–931, 2007.
- [128] J. F. A. Magarey and N. G. Kingsbury, "Motion estimation using a complex-valued wavelet transform," *IEEE Transactions on Signal Processing*, vol. 46, no. 4, pp. 1069–1084, 1998.
- [129] S. Mallat and Z. Zhang, "Characterization of signals from multiscale edges," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 14, pp. 710–732, July 1992.
- [130] H. S. Malvar, "A modulated complex lapped transform and its applications to audio processing," in *Proceedings of IEEE International Conference Acoustics, Speech and Signal Processing*, pp. 1421–1424, Phoenix, AZ, March 1999.
- [131] J. L. Massey and T. Mittelholzer, "Welch's bound and sequence sets for code-division multiple-access systems," in *Sequences II: Methods in Communication, Security and Computer Sciences*, pp. 63–78, New York, NY: Springer-Verlag, 1993.
- [132] J. L. Massey and M. K. Sain, "Inverses of linear sequential circuits," *IEEE Transactions on Computers*, vol. C-17, pp. 330–337, 1968.
- [133] N. J. Munch, "Noise reduction in tight Weyl-Heisenberg frames," *IEEE Transactions on Information Theory*, vol. 38, no. 2, pp. 608–616, March 1992.
- [134] B. A. Olshausen and D. J. Field "Sparse coding with an overcomplete basis set: A strategy employed by V1?" *Vision Research*, vol. 37, pp. 311–325, 1997.
- [135] "Sensing, sampling, and compression," *IEEE Signal Processing Magazine*, vol. 25, no. 2, March 2008.
- [136] J. Portilla and E. P. Simoncelli, "A parametric texture model based on joint statistics of complex wavelet coefficients," *International Journal on Computer Vision*, vol. 40, no. 1, pp. 49–71, December 2000.
- [137] J. Portilla, M. Wainwright, V. Strela, and E. Simoncelli, "Image denoising using a scale mixture of Gaussians in the wavelet domain," *IEEE Transactions on Image Processing*, vol. 12, no. 11, pp. 1338–1351, November 2003.
- [138] J. Princen, A. Johnson, and A. Bradley, "Subband transform coding using filter bank designs based on time domain aliasing cancellation," in *Proceedings of IEEE International Conference on Acoustics, Speech and Signal Processing*, pp. 2161–2164, Dallas, TX, April 1987.
- [139] M. Püschel and J. Kovačević, "Real, tight frames with maximal robustness to erasures," in *Proceedings of Data Compression Conference*, pp. 63–72, Snowbird, UT, March 2005.
- [140] G. Rath and C. Guillemot, "Frame-theoretic analysis of DFT codes with erasures," *IEEE Transactions on Signal Processing*, vol. 52, no. 2, pp. 447–460, February 2004.
- [141] J. M. Renes, R. Blume-Kohout, A. Scot, and C. Caves, "Symmetric informationally complete quantum measurements," *Journal on Mathematical Physics*, vol. 45, no. 6, pp. 2171–2180, 2004.
- [142] C. Rozell, "Distributed processing in frames for sparse approximation," in *Proceedings of CISS*, Princeton, NJ, March 2008.

98 *References*

- [143] M. Rudelson and R. Vershynin, “Geometric approach to error correcting codes and reconstruction of signals,” *International Mathematical Research Notices*, vol. 64, pp. 4019–4041, 2005.
- [144] I. W. Selesnick, “The double density DWT,” *Wavelets in Signal and Image Analysis*, Kluwer Academic Publishers, 2001.
- [145] I. W. Selesnick, “The design of approximate Hilbert transform pairs of wavelet bases,” *IEEE Transactions on Signal Processing*, vol. 50, no. 5, pp. 1144–1152, May 2002.
- [146] I. W. Selesnick, “The double-density dual-tree DWT,” *IEEE Transactions on Signal Processing*, vol. 52, no. 5, pp. 1304–1314, May 2004.
- [147] I. W. Selesnick, R. G. Baraniuk, and N. G. Kingsbury, “The dual-tree complex wavelet transform,” *IEEE Signal Processing Magazine*, November 2005.
- [148] P. W. Shor, “The adaptive classical capacity of a quantum channel, or information capacities of three symmetric pure states in three dimensions,” 2002, <http://www.citebase.org/cgi-bin/citations?id=oai:arXiv.org:quant-ph/0206058>.
- [149] E. P. Simoncelli, *Simoncelli Web Site*. <http://www.cns.nyu.edu/~eero/steerpyr/>.
- [150] E. P. Simoncelli, W. T. Freeman, E. H. Adelson, and D. J. Heeger, “Shiftable multiscale transforms,” *IEEE Transactions on Information Theory, Wavelet Transforms and Multiresolution Signal Analysis*, vol. 38, no. 2, pp. 587–607, March 1992.
- [151] E. Šoljanin, “Tight frames in quantum information theory,” in *Proceedings on DIMACS Workshop Source Coding and Harmonic Analysis*, Rutgers, NJ, May 2002. <http://dimacs.rutgers.edu/Workshops/Modern/abstracts.html#soljanin>.
- [152] E. Šoljanin, “Network multicast with network coding,” *IEEE Signal Processing Magazine*, Lecture notes, 2008.
- [153] E. Šoljanin, 2004, <http://cm.bell-labs.com/who/emina/>.
- [154] E. Šoljanin, 2008, Private communication.
- [155] J.-L. Starck, M. Elad, and D. L. Donoho, “Redundant multiscale transforms and their application for morphological component separation,” *Advances in Imaging and Electron Physics*, vol. 132, 2004.
- [156] T. Strohmer, “Finite and infinite-dimensional models for oversampled filter banks,” in *Modern Sampling Theory: Mathematics and Applications*, pp. 297–320, Boston, MA: Birkhäuser, 2000.
- [157] T. Strohmer and R. Heath, “Grassmannian frames with applications to coding and communications,” *Journal on Applied and Computational Harmonic Analysis*, vol. 14, no. 3, pp. 257–175, 2003.
- [158] M. Sustik, J. A. Tropp, I. S. Dhillon, and R. W. Heath, Jr., “On the existence of equiangular tight frames,” *Linear Algebra and Its Applications*, vol. 426, no. 2–3, pp. 619–635, 2007.
- [159] I. E. Telatar, “Capacity of multiantenna Gaussian channels,” *European Transactions on Telecommunications*, vol. 10, no. 6, pp. 585–595, November 1999.
- [160] J. A. Tropp, “Greed is good: Algorithmic results for sparse approximation,” *IEEE Transactions on Information Theory*, vol. 50, no. 10, pp. 2231–2242, October 2004.

- [161] J. A. Tropp, I. S. Dhillon, R. Heath, Jr., and T. Strohmer, "Designing structured tight frames via an alternating projection method," *IEEE Transactions on Information Theory*, vol. 51, no. 1, pp. 188–209, January 2005.
- [162] M. Unser, "Texture classification and segmentation using wavelet frames," *IEEE Transactions on Image Processing*, vol. 4, pp. 1549–1560, November 1995.
- [163] P. P. Vaidyanathan, *Multirate Systems and Filter Banks*. Englewood Cliffs, NJ: Prentice Hall, 1992.
- [164] R. Vale and S. Waldron, "Tight frames and their symmetries," *Constructive Approximation*, vol. 21, pp. 83–112, 2005.
- [165] R. Vershynin, "Frame expansions with erasures: An approach through the non-commutative operator theory," *Journal on Applied and Computational Harmonic Analysis*, vol. 18, pp. 167–176, 2005.
- [166] M. Vetterli and J. Kovačević, *Wavelets and Subband Coding. Signal Processing*, Englewood Cliffs, NJ: Prentice Hall, 1995. <http://waveletsandsubbandcoding.org/>.
- [167] M. Vetterli, J. Kovačević, and V. K. Goyal, *The World of Fourier and Wavelets: Theory, Algorithms and Applications*. <http://www.fourierandwavelets.org/>, 2008.
- [168] P. Viswanath and V. Anantharam, "Optimal sequences and sum capacity of synchronous CDMA systems," *IEEE Transactions on Information Theory*, vol. 45, no. 6, pp. 1984–1991, September 1999.
- [169] S. Waldron, "Generalised Welch bound equality sequences are tight frames," *IEEE Transactions on Information Theory*, vol. 49, no. 9, pp. 2307–2309, September 2003.
- [170] J. B. Weaver, X. Yansun, D. M. Healy, Jr., and L. D. Cromwell, "Filtering noise from images with wavelet transforms," *Magnetic Resonance in Medicine*, vol. 21, no. 2, pp. 288–295, 1991.
- [171] L. Welch, "Lower bounds on the maximum cross correlation of signals," *IEEE Transactions on Information Theory*, vol. 20, pp. 397–399, 1974.
- [172] A. Witkin, "Scale-space filtering," in *Proceedings of International Joint Conference on Artificial Intelligence*, pp. 1019–1022, 1983.
- [173] J. K. Wolf, "Redundancy, the discrete Fourier transform and impulse noise cancellation," *IEEE Transactions on Communications*, vol. 31, no. 3, pp. 458–461, March 1983.
- [174] J. M. Wozencraft and I. M. Jacobs, *Principles of Communication Engineering*. Waveland Press, Inc., 1965.
- [175] P. Xia, S. Zhou, and G. Giannakis, "Achieving the Welch bound with difference sets," *IEEE Transactions on Information Theory*, vol. 51, no. 5, pp. 1900–1907, May 2005.
- [176] X.-G. Xia, "New precoding for intersymbol interference cancellation using non-maximally decimated multirate filterbanks with ideal FIR equalizers," *IEEE Transactions on Signal Processing*, vol. 45, no. 10, pp. 2431–2441, October 1997.

100 *References*

- [177] Y. Xu, J. B. Weaver, D. M. Healy, Jr., and J. Lu, "Wavelet transform domain filters: A spatially selective noise filtration technique," *IEEE Transactions on Image Processing*, vol. 3, no. 6, pp. 747–758, December 1994.
- [178] B.-J. Yoon and H. S. Malvar, "Coding overcomplete representations of audio using the MCLT," in *Proceedings of Data Compression Conference*, pp. 152–161, Snowbird, UT, March 2008.